

# NEW PAKS FLYER

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

AUG 2025



### JAS8797

#### Non-Genuine John Deere 42", 48", 54", 62" Cut Spindle Assembly

Please refer to GA website for full listing of model fitment details.

**Fits:** 42" cut John Deere LTR180 (years 2006 to 2007) rear discharge ride-on lawnmower models.

**Fits:** 48" cut John Deere 48X Edge and 48X Edge Xtra cutting system deck models as fitted to GX345, LT180, LX280, LX289, X300, X320, X324, X360, X475, X485, X495, X500, X534, X540, X575, X585, X595, X700, X710, X720, X734, X728, X734, X738, X739, X740, X744, X748, X750, X754, X758 ride-on lawnmower models and EZtrak Z425, Z445 zero turn radius (ZTR) ride-on models.

**Fits:** 54" cut John Deere 54C Edge Xtra cutting system and 54HC deck models as fitted to GX345, LX280, X320, X340, X360, X475, X485, X495, X520, X500, X530, X534, X540, X575, X585, X595, X700, X720, X724, X728, X740, X744, X748, X750, X758 ride-on lawnmower models and EZtrak Select Z400 series Z425, Z445 zero turn radius (ZTR) ride-on models.

**Fits:** 62" cut John Deere 62C Edge cutting system deck models as fitted to X475, X485, X495, X575, X585, X595, X700, X720, X724, X728, X740, X744, X748 ride-on lawnmower models and EZtrak Z540M, Z465 Residential ZTrak series Z535M zero turn radius (ZTR) ride-on models.

**Thread Size:** M12 x 1.75 mm.

**Centre Hole Type:** Round.

**Standard Pack:** 1

**Replaces OEM:** John Deere: AM124498, AM131680, AM131884, AM135349, AM144377



**\$68.71** EACH +GST

Genuine



ZAMA®



### OMKZF-1

#### Genuine Zama Fuel Filter

#### Suits 1/8" ID Fuel Lines

**Fits:** Suitable for use with petrol engine outdoor power equipment up to 30 cc which have a 1/8" [3.175 mm] I.D fuel line and filter dimensions of 1/2" [12.7 mm] O.D x 1 1/4" [31.75 mm] long.

**Barb Size:** 1/8", 3.175 mm

**Length:** 1 1/4", 31.75 mm

**Outside Diameter:** 1/2", 12.7 mm

**Standard Pack:** 1

**Replaces OEM:** Zama: ZF1, ZF-1



**\$2.81** EACH +GST



### OMKZF-2

#### Genuine Zama Fuel Filter

#### Suits 3/16" ID Fuel Lines

**Fits:** Suitable for use with petrol engine outdoor power equipment up to 30 cc which have a 3/16" [4.762 mm] I.D fuel line and filter dimensions of 1/2" [12.7 mm] O.D x 1 3/16" [30.162 mm] Long.

**Barb Size:** 3/16", 4.762 mm

**Length:** 1 3/16", 30.162 mm

**Outside Diameter:** 1/2", 12.7 mm

**Standard Pack:** 1

**Replaces OEM:** Zama: ZF2, ZF-2



**\$2.81** EACH +GST



### OMKZF-3

#### Genuine Zama Fuel Filter

#### Suits 1/8" ID Fuel Lines

**Fits:** Suitable for use with petrol engine outdoor power equipment up to 80cc which have a 1/8" [3.175 mm] I.D fuel line and filter dimensions of 3/4" [19.05 mm] O.D x 1 5/8" [41.275 mm] long.

**Barb Size:** 1/8", 3.175 mm

**Length:** 1 5/8", 41.275 mm

**Outside Diameter:** 3/4", 19.05 mm

**Standard Pack:** 1

**Replaces OEM:** Zama: ZF3, ZF-3



**\$5.58** EACH +GST



### OMKUZF-1

#### Genuine Zama UZF-1 Fuel Filter Assortment Kit

**Fits:** This genuine Zama fuel filter assortment kit is suitable for use with a wide range of outdoor power equipment brands and models.

**Kit Consists Of:**

- 16 x ZF-1 Suits: 1/8" I.D Fuel Line / Suitable For Units Up To 30 cc.
- 8 x ZF-2 Suits 3/16" I.D Fuel Line / Suitable For Units Up To 30 cc.
- 8 x ZF-3 Suits 1/8" I.D Fuel Line / Suitable For Units Up To 80 cc.
- 8 x ZF-4 Suits 3/16" I.D Fuel Line / Suitable For Units Up To 80 cc.
- 8 x ZF-5 Suits 1/4" I.D Fuel Line / Suitable For Units Up To 80 cc.
- 1 x Plastic case.

**Standard Pack:** 1

**Replaces OEM:** Zama: UZF1, UZF-1, ZF-1, ZF-2, ZF-3, ZF-4, ZF-5



**\$186.68** EACH +GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

**AUG 2025**

**Genuine**



**OMKZ998-850-3203-A**

Genuine Zama Pressure Gauge 0-15 PSI  
 Standard Pack: 1



**\$102.17** EACH  
 +GST

**OMKZ998-850-3204-A**

Genuine Zama Pressure Gauge 0-30 PSI  
 Standard Pack: 1



**\$106.68** EACH  
 +GST

**OMKZ998-850-1601-B**

Genuine Zama Carburettor Stand  
 Standard Pack: 1



**\$88.89** EACH  
 +GST



**OMKZ998-850-9101-B**

Genuine Zama Welch Plug Tool Kit

**Kit Consists Of:**

- 1 x Z998-850-1306 Welch plug removal tool
- 1 x Z998-850-1309 Welch plug Installation tool
- 1 x Z998-850-1310 Welch plug Installation tool
- 1 x Z998-850-1311 Welch plug Installation tool
- 1 x Z998-850-1312 Welch plug installation tool
- 1 x Z998-850-1301 Nozzle removal tool
- 1 x Z998-850-1303 Nozzle Installation tool
- 1x Handy Pouch

Standard Pack: 1



**\$112.03** EACH  
 +GST



**OMKZ998-850-0301-A**

Genuine Zama Maintenance Kit

This maintenance kit comes in a hard protective plastic case.

**Kit Consists Of:**

- 1 x Pressure Gauge 0-15 PSI
- 1 x Carburettor Stand
- 1 x Metering Lever Gauge
- 1 x Plastic case.

Standard Pack: 1



**\$171.75** EACH  
 +GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

**AUG 2025**



**KAW99969-6490**

Kawasaki KEI Interface Tool EFI Engines

- Connects wirelessly to the engine.
- Easy to use PC/Tablet based dealer diagnostic tool.
- Trouble codes link automatically to service manual instructions for a simpler repair process.
- Touch screen enabled.
- Automotive style P codes & J1939 trouble codes supported.
- Automatic updates of tool.

Standard Pack: 1

**A must have for every workshop!**

**NORMALLY \$1,032.21**

**SPECIAL PRICE**

**\$750.00** EACH +GST



**Order Now To Receive In September**

**GAF24549A**

Genuine Prokut Bench Mounted Rivet Spinner



**Kit Consists Of:**

- 1 x GAF38597 Spinner insert / anvil (A) for 3/8" to .404" chains.
- 1 x GAF38598 Spinner insert / anvil (B) for 1/4" (.050") to .325" chains.
- 1 x GAF38599 Take-up handle (A) for 3/8" to .404" chains.
- 1 x GAF38600 Take-up handle (B) for 1/4" (.050") to .325" chains.
- 1 x Instruction manual.

Standard Pack: 1



**\$95.63** EACH +GST

**GAFK00600066**

Genuine Prokut Anvil Insert (C) Suits 1/4" Pitch Mini Chainsaw Chain -



Suitable For Use With Our GAF24549A Bench Mounted Rivet Spinner

**Fits:** 1/4" Mini - 1.1 mm spinner insert (C) suitable for PROKUT rivet spinner part number GAF24549A and Tecomec rivet spinners 1025950, 1025970, 11319000 and 1139001. Pitch: 1/4" Pitch Mini Chainsaw Chain.

Standard Pack: 1



**\$6.78** EACH +GST

**GAFK00600064**

Genuine Prokut Take Up Handle (C) Suits 1/4" Pitch Mini Chainsaw Chain -



Suitable For Use With Our GAF24549A Bench Mounted Rivet Spinner

**Fits:** 1/4" Mini - 1.1 mm (.043") - take up handle (C) suitable for PROKUT rivet spinner part number GAF24549A and Tecomec rivet spinners 1025950, 1025970, 11319000 and 1139001.

Standard Pack: 1



**\$16.93** EACH +GST

**Prokut CBN Grinding Wheel**

- Manufactured on CNC (Computer Numerical Control) machinery ensures perfect balance and dimensioning of your CBN grinding wheel.
- No more dressing or deglazing - these grinding wheels require no maintenance and will maintain their profile for the life of the wheel.
- CBN grinding wheels will remain cooler and sharpen chains faster than standard aluminium oxide wheels.
- Australian made.

**GAF7743M**

This premium quality PROKUT CBN grinding wheel is suitable for use when sharpening 3/8" Standard pitch chainsaw chains. CBN Grinding wheels are made from Cubic Boron Nitride (CBN) and are designed for grinding hardened steel (standard chainsaw chains).



**Thickness:** 0.157", 4 mm

**Outside Diameter:** 5 3/4", 145 mm

**Mounting Hole Diameter:** 0.629", 16 mm

Standard Pack: 1

**GAF7746M**

This premium quality PROKUT CBN grinding wheel is suitable for use when sharpening .404" pitch chainsaw chains. CBN Grinding wheels are made from Cubic Boron Nitride (CBN) and are designed for grinding hardened steel (standard chainsaw chains).



**Thickness:** 0.197", 5 mm

**Outside Diameter:** 5 3/4", 145 mm

**Mounting Hole Diameter:** 0.629", 16 mm

Standard Pack: 1

**GAF7748M**

This premium quality PROKUT CBN grinding wheel is suitable for use when sharpening 3/4" pitch Harvester chains. CBN Grinding wheels are made from Cubic Boron Nitride (CBN) and are designed for grinding hardened steel (standard chainsaw chains).



**Thickness:** 0.315", 8 mm

**Outside Diameter:** 5 3/4", 145 mm

**Mounting Hole Diameter:** 0.629", 16 mm

Standard Pack: 1



**\$312.40** EACH +GST



**\$312.40** EACH +GST



**\$344.12** EACH +GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

**AUG 2025**

**TOL8094**  
Ultrasonic Parts  
Cleaner 3 Litre  
Heavy Duty

Ultrasonic cleaning is based on the cavitation effect caused by a high frequency ultrasonic wave vibration signal in the fluid. Ultrasonic cleaning is extremely effective at removing dirt and grime which would normally require tedious manual cleaning by hand. Used to clean a wide variety of instruments and mechanical parts such as carburettors, returning them to almost "like new" condition without damage to delicate parts. Features and Benefits:

- Normal and soft power control settings
- Degas function - increased faster cleaning
- Automatic ultrasonic frequency tracking
- User-friendly, LED display and clear panel
- Memory function
- High-performance transducers

**Tank Capacity:** 3 Litre  
**Ultrasonic Frequency:** 40 kHz  
**Tank Size:** 240 mm (L) x 140 mm (W) x 100 mm (H)  
**Overall Size:** 275 mm (L) x 170 mm (W) x 240 mm (H)  
**Heating Power:** 100 W  
**Temperature Range:** 0° C to 80° C (fully adjustable)  
**Time Settings:** 1 - 99 Minutes (fully adjustable)  
**Standard Pack:** 1



**\$340.65** EACH +GST

Prokut Sonic Blue Premium Quality  
Ultrasonic Cleaning Fluid

- Suitable for use in light engine / small engine ultrasonic cleaners and ideal for cleaning aluminium carburettors.
- Mixing Ratio 10:1 (Mix ten parts water with one part Prokut Sonic Blue ultrasonic cleaning fluid.)
- Made in Australia.

**ADV7774**

1 Litre Bottle  
Standard Pack: 1  
Box qty: 12



**\$19.60** EACH +GST

**ADV7776**

5 Litre Container  
Standard Pack: 1  
Box qty: 4



**\$67.52** EACH +GST

**SPKWSR6F**

Genuine Bosch WSR6F Spark Plug

Standard Pack: 10

**Equivalent To:**

Champion: CJ6Y and RCJ6Y, NGK: BPMR6A and BPMR7A



**\$3.26** EACH +GST

**SPKWR7DC+**

Genuine Bosch WR7DC+ Spark Plug

Standard Pack: 10

**Equivalent To:** NGK: BPR6ES



**\$4.59** EACH +GST

## Opti-2®

Opti-2 is a specialized two-cycle, single mix ratio lubricant engineered for use in all two-cycle engines, regardless of brand, model, or mix ratio.

Opti-2 is rated ISO-EG-D++, the highest rating available in the stringent International Standards Organization global performance ratings system. Opti-2 meets and exceeds all equipment manufacturers rating requirements. Opti-2 is formulated utilizing patented Eutectic additive technology that provides exclusive performance results:

- SIMPLE - single mix for all air & water cooled two-cycle engines.
- Highest rated 2-cycle oil in industry.
- Greater horsepower, increased performance and longer engine life.
- Smoke-free operation - Less oil = less exhaust.
- Contains "Opti-Mizer" 24 month fuel stabilizer.
- Compatible with oxygenated fuels and Gasohol.
- Anti-wear properties.
- Anti-corrosion protection.

**LUB8671**

Genuine Opti, Two Stroke Engine Oil, 5 Litre Mix Pouch - 48 Pouch Display Box

Standard Pack: 1 (Display box of 48 pouches)



**\$139.29** EACH +GST

**LUB8675**

Genuine Opti, Two Stroke Engine Oil, 9 Litre Mix Pouch - 28 Pouch Display Box

Standard Pack: 1 (Display box of 28 pouches)



**\$106.46** EACH +GST

**LUB8677**

Genuine Opti, Two Stroke Engine Oil, 36 Litre Mix Bottle - 1 x 385 ML Bottle

Standard Pack: 1 Bottle  
Box qty: 12 Bottles



**\$17.62** EACH +GST

**LUB8679**

Genuine Opti, Two Stroke Engine Oil, 100 Litre Mix - Ezy Measure 1 x 1 Litre Bottle

Standard Pack: 1 Bottle  
Box qty: 12 Bottles



**\$31.47** EACH +GST

**LUB8681**

Genuine Opti, Two Stroke Engine Oil, 400 Litre Mix Jug - 1 x 4 Litre Jug

Standard Pack: 1 Jug / Container  
Box qty: 4 Jugs / Containers



**\$95.70** EACH +GST

**LUB8683**

Genuine Opti, Two Stroke Engine Oil, 2000 Litre Mix Drum - 1 x 20 Litre Drum / Pail

Standard Pack: 1



**\$412.36** EACH +GST

**GASPARES.COM.AU**

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.  
Copyright © 2025 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.  
Prices do not include 10% GST unless stated. Prices valid until 31st August 2025.

Proudly supporting



Royal Flying Doctor Service  
QUEENSLAND SECTION



PLEASE RECYCLE



PROUDLY AUSTRALIAN OWNED & OPERATED

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480

FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582