



Enjoy the
FESTIVE SEASON!



NEW PARTS FLYER

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26



BATTERY POWER

TOL8774

Prokut 18V Battery Powered Pruning Secateurs Kit Genuine

The PROKUT 18 volt battery powered pruning secateurs kit is the ideal addition to your gardening tool kit. Perfect for avid gardeners with a large garden or for seniors and people with reduced hand strength.

- Easy to use.
- Ergonomic Design.
- Compact & Portable.
- Precision Cut Every Time.

Working Voltage: 18V.

Power: 400W.

Maximum Cutting Diameter: Hard Branch 25 mm / Soft Branch 32 mm.

Charger Input: 240V (50-60Hz)

Voltage: 50-60Hz.

Weight: 1.4 kg (tool only) or 1.7 kg (with battery).

Kit consists of:

- 18 Volt Pruning Secateurs.
- 18 Volt 2 Ah Lithium Battery.
- Battery Charger.
- Tool Kit.

Standard Pack: 1

The battery and charger from the PROKUT Pruning Secateurs Kit part number TOL8774 also suits our PROKUT 18V Battery Powered Mini Chainsaw Kit part number TOL8772.



\$187.91 EACH +GST

TOL8772

Prokut 18V Battery Powered Pruning Saw Kit Genuine

The PROKUT 18 volt battery powered pruning saw is the ideal addition to your gardening tool kit. Power through those larger pruning jobs in a fraction of the time with this compact, lightweight and easy to use Pruning Saw.

- Easy to use.
- Ergonomic Design.
- Compact & Portable.
- Precision Cut Every Time.
- Automatic Chain Oiling.
- Tool-Less Chain Tensioning.

Working Voltage: 18 Volts.

Power: 400W.

Charge Time: 2.5 Hours.

Chain Speed: 8 m/s.

Size Of Bar: 6".

Charger Input: 240V (50-60Hz)

Voltage: 50-60Hz.

Motor Speed: 22000 r/min.

Chain: 1/4" Pitch x .043" Gauge x 38 Drive Links.

Weight: 1kg (tool only) or 1.3 kg (with battery).

Kit consists of:

- 18 Volt Pruning Saw.
- 18 Volt 2 Ah Lithium Battery.
- Battery Charger.

Standard Pack: 1

The battery and charger from the PROKUT Pruning Saw Kit part number TOL8772 also suits our PROKUT 18V Battery Powered Pruning Secateurs Kit part number TOL8774.



\$150.28 EACH +GST

FUE8746

PROKUT Battery Powered Liquid Transfer Pump

Transfer fuel or other liquids without having to lift and hold the container. Ideal for use on cars, tractors, motorbikes, lawnmowers, boats and much more. Transfers 9.084 litres (2.4 gallons) per minute, the pump is powered by 4 x AA batteries, has a manually operated nozzle and the rubber discharge hose length is 130 cm (51.18") long.

- Comes with three adapters designed to fit most popular brands of fuel cans available in Australia.
- Wide pump compatibility.
- Simple on / off operation.
- Convenient portable design.
- Leak protection.
- Certification: ISO 9001, CE, EMC, CSA US, UK CA, BSCI, RoHS,
- For Petrol, diesel, kerosene & non potable water.
- Rubber discharge hose is 51.18" (1300 mm) long.
- Intake Hose Length: 19" (482.6 mm).
- Power Supply: 4 x AA Batteries (Not Included).
- Delivery Volume: 9.084 litres (2.4 gallons) per minute.
- Manual Nozzle.
- Operating Environment Temperature: 5° C - 45° C.

International Standard: Certification: ISO 9001, CE, EMC, CSA US, UK CA, BSCI, RoHS,

Standard Pack: 1



\$66.47 EACH +GST

REDUCE REUSE RECYCLE

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26

BLR8744

Non-Genuine
 Cub Cadet,
 54" Cut 2-N-1 Bar Blade

3 blades required for 54" cut

- 2-in-1 Bar blade. 6-Point Star mounting hole. Stepped & fluted, right hand cut. Manufactured in the USA.

Fits: 54" (1372 mm) cut Cub Cadet XT2 Enduro Series LX54 FAB [LX 54 FAB, XT2-LX54 FAB, LX54 KH FAB, XT2-LX54 KH FAB] (models 13A7A4CA330 years 2015 to 2020 and 13B7A4CA330 year 2017) ride-on lawnmower models and ULTIMA ZT2-54 [ZT2-54 KW FAB, ULTIMA ZT2] (model 17A1EACI330 year 2020) zero turn radius (ZTR) ride-on models.

Length: 18 5/8", 473.07 mm
Width: 2 1/2", 63.5 mm
Thickness: 0.158", 4.0132 mm
Centre Hole Type: 6-Point Star
 Standard Pack: 1

Replaces OEM: Cub Cadet:
 742-05056, 742-05056A, 942-05056, 942-05056A



\$19.53 EACH +GST

BLR8758

Non-Genuine
 BigDog & Hustler
 72" & 104" Cut, Side and Rear Discharge Low
 Lift Bar Blade - Clockwise Rotation

Fits: 72" cut BigDog Diablo MP and X Diablo side discharge ZTR. HUSTLER Diesel Z (model 931246EX), 3700 Out Front Mower (model 928713EX, when fitted with 72" cut rear discharge deck option: 928754), Super Z (model 931725EX), Super Z Hyperdrive (models 932186EX and 943084EX) rear discharge ZTR.

Fits: 104" cut HUSTLER Super 104 (models 931733EX, 938910EX, 940544EX. Note: This blade fits on the right hand side wing deck only).

Deck: 72" & 104" cut
Centre Hole Diameter: 5/8", 15.875 mm
Centre Hole Type: Round
Length: 23 55/64", 606 mm
Width: 2 1/2", 63.5 mm
Thickness: 0.2500", 6.35 mm
 Standard Pack: 1

Replaces OEM: BigDog,
 Hustler: 796839



\$25.84 EACH +GST

BLR8760

Non-Genuine Hustler
 72" & 104" Cut, Rear
 Discharge Low Lift Bar Blade - Counter Clockwise Rotation

Low lift, flat blade, counter clockwise rotation.

Fits: 72" cut HUSTLER Diesel Z (model 931246EX), 3700 Out Front Mower (model 928713EX, when fitted with 72" cut rear discharge deck option: 928754), Super Z (model 931725EX), Super Z Hyperdrive (models 932186EX and 943084EX) rear discharge ZTR models.

Fits: 104" cut HUSTLER Super 104 (models 931733EX, 938910EX and 940544EX. Note: for all models this blade fits on the left hand side wing deck only) ZTR models.

Deck: 72" & 104" cut
Centre Hole Diameter: 5/8", 15.875 mm
Centre Hole Type: Round
Length: 23 55/64", 606.028 mm
Width: 2 1/2", 63.5 mm
Thickness: 0.2040", 5.1816 mm
 Standard Pack: 1

Replaces OEM: Hustler:
 796508



\$29.47 EACH +GST

BLR8756

Non-Genuine Cub
 Cadet, Rover 46" Cut
 Standard Type Bar Blade - Fits "S" Shaped Centre Hole

2 blades required for 46" cut

- Stepped & fluted, right hand cut
- Made in the USA

Fits: 46" cut Cub Cadet XT2 Enduro Series XT2 LX46 years 2022 to 2024 ride-on lawnmower models and ULTIMA ZT1-46 years 2023 to 2024 and ULTIMA ZTS1 46 Ultima years 2022 to 2024 zero turn radius (ZTR) ride-on models.

Fits: 46" cut Rover RZ46 FAB year 2023 zero turn radius (ZTR) ride-on models.

Length: 23 1/4", 590.55 mm
Thickness: 0.1580", 4.0132 mm
Width: 2 1/4", 57.15 mm
Centre Hole Type: Diamond Shape fits "S" shaped centre hole.
 Standard Pack: 1

Replaces OEM: Cub Cadet,
 Rover: 742-05510, 742P05510,
 742-05573, 742P05573



\$19.45 EACH +GST

BLR8754

Non-Genuine Cub
 Cadet 54" Cut
 Standard Type Bar Blade - Fits S Shaped Centre Hole

3 blades required for 54" cut

- Stepped & fluted, right hand cut
- Made in the USA

Fits: 54" cut Cub Cadet ULTIMA ZT2 [ZT2-54KW FAB, ZT2 54, ZT2 54 KW FAB] (model 17A1EAC3330 years 2021 to 2024) zero turn radius (ZTR) ride-on models.

Length: 18 5/8", 473.075 mm
Thickness: 0.1580", 4.0132"
Width: 2 1/4", 57.15 mm

Centre Hole Type: Diamond Shape fits "S" shaped centre hole.
 Standard Pack: 1

Replaces OEM: Cub Cadet: 490-110-C194, 742-05086, 742P05086



\$16.86 EACH +GST

BLR8750

Non-Genuine
 Cub Cadet, Masport, MTD, Rover, 46" Cut, High
 Lift Bar Blade - Fits Star Shaped Centre Hole

2 blades required for 46" cut

- Formed and high fluted, right hand cut, 2-in-1 standard type bar blade.

Fits: Selected 46" cut Cub Cadet, Masport, MTD and Rover models, Refer to GA website for full fitment info.

Length: 23 1/4", 590 mm
Thickness: 0.157", 4 mm
Width At Mounting Hole: 3.098", 78.70 mm
Width Of Flute: 3.583", 91.01 mm
Centre Hole Type: 6-Point Star.
 Standard Pack: 1

Replaces OEM: Craftsman, Cub Cadet, Masport, MTD, Rover, Troy Bilt: 490-110-C131, 490-110-M131 (blade set part number), 742-04244, 742-04244A, 942-04244, 942-04244A, OCC-742-04244 (blade set part number)



\$20.69 EACH +GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26

BLR8781

Non-Genuine
 Toro, 42" Cut

High Lift Standard Type Bar Blade

2 blades required for 42" cut.

Flat and High fluted, standard type bar blade, right hand cut.

Fits: 42" cut TORO TimeCutter MX 4200 (model 74766), TimeCutter MX 4250 (models 74760 and 74760TA), TimeCutter SS 4200 (model 74720), TimeCutter SS 4216 (model 74616), TimeCutter SS 4250 (model 74723), TimeCutter SW4200 (model 74784) ZTR models.

Length: 21.574", 548 mm

Width: 2 1/4", 57 mm

Thickness: 0.177", 4.5 mm

Centre Hole Diameter: 5/8", 15.875 mm

Centre Hole Type: Round

Standard Pack: 1

Replaces OEM: Toro: 114-1625, 131-3939-03, 131-3939-03P, 79220P

For a Copperhead toothed mulcher blade option use our part number BLR8202.



\$16.61 EACH +GST

BLR8783

Non-Genuine
 Toro, 42" Cut

High Lift Wavy Type Mulcher Blade

2 blades required for 42" Cut

High lift wavy mulcher blade, right hand cut.

Fits: 42" cut TORO TimeCutter MR 4275 (model 75758TA), MX 4225 (model 75746TA), MX 4275 (model 75745TA), SS 4225 (models 74726, 74726TA, 75742TA and 75752TA) ZTR models.

Length: 21 1/2", 548 mm

Width: 2 3/4", 70 mm

Thickness: 0.196", 5 mm

Centre Hole Diameter: 5/8", 15.875 mm

Centre Hole Type: Round

Standard Pack: 1

Replaces OEM: Toro: 137-1999-03, 137-1999-03P

For a standard type bar blade use our part number BLR7429 or for a Copperhead toothed mulcher blade use our part number BLR8202.



\$17.97 EACH +GST

BLR8785

Non-Genuine
 Toro, 60" Cut

Notched, High Lift, Standard Type Bar Blade

3 blades required for 60" cut

Notched blade, stepped and fluted right hand cut.

Fits: 60" cut TORO TimeCutter MX 6050 (model 74777), TITAN MR 6000 (model 75318TA), TITAN MX 6080 (model 74873), TITAN ZX 6020 (model 74843) and TITAN ZX 6050 (model 74824) ZTR models.

Length: 20 1/2", 520 mm

Width: 2 1/4", 57 mm

Thickness: 0.177", 4.5 mm

Centre Hole Diameter: 5/8", 15.875 mm

Centre Hole Type: Round

Standard Pack: 1

Replaces OEM: Toro: 115-9649-03, 115-9649-03P



\$20.97 EACH +GST



BLR8799

Non-Genuine

Toro 60" Cut Copperhead Toothed Mulcher Blade

3 blades required for 60" cut.

Copperhead toothed mulcher blade, flat and fluted, right hand cut.

Fits: 60" cut TORO Z Master Commercial 3000 Series (models 72936 and 72950), Z Master Professional 4000 Series (models 74054TA and 74055TA), Z Master Professional 6000 Series (models 72946, 72960 and 72967) and Z Master Professional 7000 Series (model 72267) side discharge ZTR models.

Deck: 60" Cut

Centre Hole Type: Round

Centre Hole Diameter: 15/16", 23.81 mm

Length: 20 1/2", 520.7 mm

Width: 2 1/2", 63.5 mm

Thickness: .204", 5.181 mm

Standard Pack: 1

Replaces OEM: Toro: 103-6403-S, 137-9826, 140-1240, 140-1241, 140-4877, 140-4880



\$24.41 EACH +GST



BRF8761

Non-Genuine Stihl, Paper Panel
 Air Filter FS240, FS240R, FS261
 C-E, FS361 C-EM, FS461 C-EM

• Paper panel air filter.

Fits: Stihl FS 240, FS 240 R, FS 261 C-E, FS 361 C-EM, FS 461 C-EM brushcutter models.

Length: 3.086", 78.40 mm

Width: 3.397", 86.30 mm

Height: 0.787", 20 mm

Standard Pack: 1

Replaces OEM: Stihl: 4147 141 0300



\$4.55 EACH +GST

JAS8797

Non-Genuine John Deere 42", 48",
 54", 62" Cut Spindle Assembly

Please refer to GA website for full listing of model fitment details.

Fits: 42" LTR180 rear discharge.

Fits: 48" & 54" decks: GX345, LT180, LX280, LX289, X300, X320, X324, X340, X360, X475, X485, X495, X500, X520, X530, X534, X540, X575, X585, X595, X700, X710, X720, X724, X728, X734, X738, X739, X740, X744, X748, X750, X754, X758 ride-on models; EZtrak Z425, Z445 ZTR.

Fits: 62" decks: X475, X485, X495, X575, X585, X595, X700, X720, X724, X728, X740, X744, X748; EZtrak Z540M, Z465, Z535M ZTR.

Thread Size: M12 x 1.75 mm.

Centre Hole Type: Round.

Standard Pack: 1

Replaces OEM: John Deere: AM124498, AM131680, AM131884, AM135349, AM144377



\$68.71 EACH +GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26

BEL8801

Non-Genuine Toro
 TimeMaster &
 TurfMaster 30" Cut Synchronous Cogged Deck Belt



Fits: 30" cut TORO TimeMaster (models 20199, 20200, 21199, 21200, 21219 and 21220), TurfMaster (models 22200 and 22210) and TurfMaster HDX (model 22215) commercial self-propelled walk-behind lawnmower models.

Deck: 30" Cut

Length Outside Circumference: 44.094", 1120 mm

Pitch: 0.314", 8 mm

Width: 0.787", 20 mm

Teeth: 140

Standard Pack: 1

Replaces OEM: Toro: 120-3335, 120-3335-SL



\$61.30 EACH
+GST

PUL8749

Non-Genuine TORO TimeCutter
 50" Cut Spindle Pulley



3 required for 50" Cut

Fits: 50" cut TORO TimeCutter MX 5000 (model 74775), MX 5050 (models 74770, 74771, 74774), MX 5075 (model 74778), SS 5000 (models 74637, 74731), SWX 5050 (model 74797), Z 5000 (model 74391), Z 5020 (model 74399), ZS 5000 (model 74387), ZS 5000TF (model 74395) zero turn radius (ZTR) ride-on models.

Centre Hole Type: Round

Centre Hole Diameter: 0.675", 17.15 mm

Pulley Height: 0.838", 21.30 mm

Pulley Diameter: 5", 127 mm

Standard Pack: 1

Replaces OEM: Toro: 110-6865, 125-5575



\$23.23 EACH
+GST

PUL8751

Non-Genuine TORO TimeCutter
 42" Cut Spindle Pulley



2 required for 42" Cut

Fits: 42" cut TORO TimeCutter MR 4275 (model 75758TA), MX 4200 (model 74766), MX 4225 (model 75746TA), MX 4250 (models 74760, 74760TA), MX 4275 (model 75745TA), SS 4200 (models 74622, 74623, 74720), SS 4216 (model 74616), SS 4225 (models 74726, 74726TA years, 75742TA, 75752TA), SS 4250 (model 74723), SW 4200 (model 74784), Z 4200 (models 74360, 74380), Z 4202 (model 74381), ZS 4200S (model 74386, 74389), ZS 4200TF (model 74390) zero turn radius (ZTR) ride-on models.

Centre Hole Type: Round

Centre Hole Diameter: 0.675", 17.15 mm

Pulley Height: 0.838", 21.30 mm

Pulley Diameter: 5.551", 141 mm

Standard Pack: 1

Replaces OEM: Toro: 110-6864, 125-5574, 139-2433



\$27.80 EACH
+GST

PUL8743

Non-Genuine Kubota, Deck
 Flat Idler Pulley - Steel



1 required per unit

Fits: 42" cut Kubota Pro Commercial fabricated deck model RCK42P-122Z as fitted to Kommander Z100 Series and Z200 Series ZTR models.

Fits: 48" cut Kubota Pro Commercial fabricated deck model RCK48P-124Z as fitted to Kommander Z100 Series and deck model RCK48P-400Z as fitted to Kommander Pro Z400 Series ZTR models.

Fits: 54" cut Kubota Pro Commercial fabricated deck model RCK54P-127Z as fitted to Kommander Z100 Series, deck model RCK54P-127ZA as fitted to Kommander Z100 Series and deck model Z421KW-54-AU as fitted to Kommander Pro Z400 Series ZTR models.

Inside Diameter: 0.4700", 11.938 mm

Outside Diameter: Flat O.D: 5", 127 mm, Flange O.D: 5.750", 146.05 mm

Centre Hole Type: Round

Pulley Height: 1.1250", 28.575 mm

Standard Pack: 1

Replaces OEM: Kubota: K5559-34880, K5639-34882



\$54.10 EACH
+GST

PUL8778

Non-Genuine Toro, Z Master &
 TITAN Selected 48" - 72" Cut
 Deck Flat Idler Pulley - Steel



Please refer to GA website for full listing of model fitment details.

Fits: 48" & 52" cut Selected Toro Z Master Commercial 2000 & 3000 Series, Z Master G3, Z Master Professional 4000, 5000 & 6000 Series.

Fits: 60" cut Selected Toro TITAN HD 2500 Series, Z Master Commercial 3000 Series, Z Master G3, Z Master Professional 3000, 5000 & 6000 Series.

Fits: 72" cut Selected Toro Z Master G3, Z Master Professional 5000 & 6000 Series ZTR models.

Inside Diameter: 11/16", 17.462 mm

Outside Diameter: 6 1/4", 158.75 mm

Centre Hole Type: Round

Pulley Height: 1 5/8", 41.275 mm

Standard Pack: 1

Replaces OEM: Toro: 103-8743, 116-4668, 132-9425



\$57.94 EACH
+GST

FPL8748

Non-Genuine Kohler, Universal,
 In-Line Fuel Filter, Extra
 Capacity, 9-12 Micron



Please refer to GA website for full listing of model fitment details.

Fits: Kohler engines ranging from 14 hp EFI single-cylinder to 37 hp V-Twin.

Micron Rating: 9-12 Micron.

Overall Length: 4.251", 108 mm

Length of filter body: 2.185", 55.5 mm

Outside Diameter of filter: 1.909", 48.5 mm

Barb Length: 1.033", 26.25 mm

Barb Diameter: 1/4", 6.35 mm

Standard Pack: 1

Replaces OEM: Kohler: 24 050 02-S, 24 050 02-S1, 24 050 05-S, 24 050 09-S, 24 050 10-S, 24 050 10-S1, 24 050 13-S, 24 050 13-S1



\$7.21 EACH
+GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26

PTY8755

Caster Tyre 13 X 6.50 - 6 Smooth Tread - 4 Ply Rating - Tyre Only

- Smooth tread pattern to protect turf.
- Rounded tapered shoulder for easier turning and turf protection.
- Contains specially formulated rubber compounds for professional grade durability.
- Tubeless.

Fits: Various applications, Please refer to GA website for full listing of model fitment details.
Standard Pack: 1

Please Note: Not for highway service. This is a caster tyre only, not a wheel assembly. Wheel assembly part numbers are used for tyre identification purposes only.

Safety Warning: Maximum inflation 46 PSI.



\$37.14 EACH +GST

FUE8757

Replacement Scepter Duramax Pump Handle & Hose Suits Our FUE6354 Portable Fuel Container

A replacement pump handle and hose assembly to fit our part number FUE6354 Scepter 53 litre Duramax Flo n' Go portable fuel container system.

Hose Length: 10', 3,047.8 mm
Standard Pack: 1



\$105.89 EACH +GST

FUE8740

Genuine Scepter 20 Litre Petrol Military Jerry Can

- Manufactured from: High-density polyethylene (HDPE).
- Superior Impact resistance.
- Three Handle Design.
- Red cap strap to signify straight petrol.
- 20 Litres (5.283 gallon).

International Standard: Regulations & Safety Compliance:- Mil-C-53109 / CID A-A-59592A. UN Certified.

Standard Pack: 1
Box qty: 4



\$122.41 EACH +GST

FUE8742

Genuine Scepter 20 Litre Diesel Military Jerry Can

- Manufactured from: High-density polyethylene (HDPE).
- Superior Impact resistance.
- Three Handle Design.
- Yellow cap strap to signify diesel fuel.
- 20 Litres (5.283 gallon).

International Standard: Regulations & Safety Compliance:- Mil-C-53109 / CID A-A-59592A. UN Certified.

Standard Pack: 1
Box qty: 4



\$122.41 EACH +GST

FUE8787

Scepter Fuel Can Spout, Suits Our FUE8740 Military 20 Litre Petrol Fuel Can

- Fast Pour
- Extended length
- Flexible
- Clear tube

Fits: This fuel can spout is suitable for use with our military 20 litre Scepter petrol fuel container part number FUE8740 and is ideal for filling on-board tanks.

Size: 3/4" / 19 mm
Standard Pack: 1



\$41.38 EACH +GST

FUE8789

Scepter Fuel Can Spout, Suits Our FUE8742 Military 20 Litre Diesel Fuel Can

- Fast Pour
- Extended length
- Flexible

Fits: This fuel can spout is suitable for use with our military 20 litre Scepter diesel fuel container part number FUE8742 and is designed to empty a full 20 litre container in under one minute.

Size: 1.102" / 28 mm
Standard Pack: 1



\$41.38 EACH +GST

FUE8780

Scepter 11.4 Litre Low Profile Underseat Portable Plastic Fuel Tank

- Integrated Top Handle makes it Easy to Transport.
- Made of UV Stabilized, Rust and Corrosion Resistant HDPE for Maximum Durability.
- Compact, Sleek Design for Convenient Under-Seat Storage.
- Standard Marine Cap with Manually Vented Screw.
- All Scepter portable fuel tanks accept standard 1/4 NPT marine tank fittings.

Capacity: 3 Gallon, 11.4 Litres.
Dimensions: Length 17.3 cm x Width 31 cm

Thread Size: 1/4 NPT
Australian Standard - Type: AS/ASNZ.
Standard Pack: 1



\$90.64 EACH +GST

FUE8782

Scepter 22.7 Litre Low Profile Underseat Portable Plastic Fuel Tank

- Integrated Top Handle makes it Easy to Transport.
- Made of UV Stabilized, Rust and Corrosion Resistant HDPE for Maximum Durability.
- Compact, Sleek Design for Convenient Under-Seat Storage.
- Standard Marine Cap with Manually Vented Screw.
- All Scepter portable fuel tanks accept standard 1/4 NPT marine tank fittings.

Capacity: 6 Gallon, 22.7 Litres.
Dimensions: Length 25.9 cm x Width 31 cm

Thread Size: 1/4 NPT
Australian Standard - Type: AS/ASNZ.
Standard Pack: 1



\$101.73 EACH +GST

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26

ADV8775

INOX MX3 Supersized 375g Aerosol Can With 2-Way Spray Nozzle

Standard Pack: 1
 Box qty: 12



\$14.26 EACH +GST

ADV8777

LANOX MX4 Supersized 375g Aerosol Can With 2-Way Spray Nozzle

Standard Pack: 1
 Box qty: 12



\$15.36 EACH +GST

ADV8767

Genuine WD-40 Specialist Lawn & Garden Powerful Foaming Cleaner 400g Aerosol Spray

WD-40 Specialist Lawn & Garden Cleaner cleans resin, sap, dirt and deposits from garden tools and equipment. The water-based citrus formula has a powerful foaming action to remove oil, grease and residue. It is fast acting and easy to rinse.

- Powerful foam works immediately on contact.
- Powerful formula designed to lift engine grease and carbon deposits.

Standard Pack: 1
 Box qty: 6



\$6.63 EACH +GST

ADV8769

Genuine WD-40 Specialist Lawn & Garden General Use Lubricant 400g Aerosol Spray With Smart Straw

- Lubricates exposed joints and parts.
- Cleans metal surfaces.
- Protects garden equipment.

Standard Pack: 1
 Box qty: 6



\$12.17 EACH +GST

ADV8771

Genuine WD-40, Specialist Lawn & Garden Water Protective Silicone 300g Aerosol Spray With Smart Straw

- Protects with a clear dry film.
- Lubricates to help parts run smoothly.
- Waterproofs against weather.
- Safe for plastic, metal and wood surfaces.

Standard Pack: 1
 Box qty: 6



\$12.17 EACH +GST

ADV8773

Genuine WD-40 Specialist Lawn & Garden Tool Protectant 300g Lithium Grease Aerosol Spray

- Weather resistant white lithium grease.
- Prevents rust and corrosion.
- Long lasting wear protection and ideal for items in storage.
- Reduces friction on metal-to-metal parts.
- Bright white pigment for easy viewing and re-application.

Standard Pack: 1
 Box qty: 6



\$12.17 EACH +GST

TOL8770

Magnetic Parts Tray - 6" Round

This stainless steel 6" (152 mm) round magnetic parts tray keeps bolts, nuts and small parts all in one place. Made with a scratch resistant rubber coating this tray will be a handy addition to your work bench.

Outside Diameter: 6", 152 mm
 Standard Pack: 1



\$22.29 EACH +GST



































A PERFECT SOLUTION FOR EVERY BUDGET

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
 FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

DEC 25 / JAN 26

Product offering for both Genuine Walbro and high-quality aftermarket, giving your customers the flexibility to choose the best option for their budget and application.

Description	GENUINE WALBRO			NON-GENUINE WALBRO		
	Part No	Pack	Price	Part No	Pack	Price
In-Tank Fuel Filter - Small Filter - 3/16" Barb	 125-527-1	10	\$9.65 EACH +GST	 CAS8684	10	\$2.63 EACH +GST
In-Tank Fuel Filter - Large Filter - 3/16" Barb	 125-528-1	10	\$12.52 EACH +GST	 CAS8686	10	\$3.36 EACH +GST
Air Purge / Carburettor Primer Assembly	 188-512-1	1	\$12.34 EACH +GST	 CAS8735	10	\$3.99 EACH +GST
Twin Pipe Air Purge / Carburettor Primer Assembly	 188-513-1	1	\$9.69 EACH +GST	 CAS8692	1	\$4.88 EACH +GST
Air Purge / Carburettor Primer Bulb	 OMK188-11-1	1	\$7.78 EACH +GST	 CAS8733	10	\$1.60 EACH +GST
Small Clear Carburettor Primer Bulb Suits WT, WY, WYB, WYJ, WYK, WYL & WYP Carburettor Models	 188-12-1	10	\$5.45 EACH +GST	 CAS8688	10	\$2.26 EACH +GST
Air Purge Bulb / Carburettor Primer Bulb	 OMK188-13	1	\$6.62 EACH +GST	 CAS8690	10	\$1.89 EACH +GST
Replacement Carburettor Fuel Inlet Screens	 OMK140-70-8	10	\$3.96 EACH +GST	 CAS8694	10	\$0.74 EACH +GST
Carburettor Metering Diaphragm	 OMK95-526-9-8	10	\$8.13 EACH +GST	 CAS8696	10	\$3.15 EACH +GST
Carburettor D10-HD Diaphragm & Gasket Set	 OMKD10-HD	1	\$20.10 EACH +GST	 CAS8698	1	\$6.56 EACH +GST
Carburettor D11-WYL Diaphragm & Gasket Set	 OMKD11-WYL	1	\$21.42 EACH +GST	 CAS8700	1	\$7.88 EACH +GST
Carburettor D20-WYJ Diaphragm & Gasket Set	 OMKD20-WYJ	1	\$17.57 EACH +GST	 CAS8702	1	\$6.30 EACH +GST
Carburettor K10-HD Repair Kit	 OMKK10-HD	1	\$26.89 EACH +GST	 CAS8704	1	\$9.45 EACH +GST
Carburettor K10-WYB Repair Kit	 OMKK10-WYB	1	\$21.07 EACH +GST	 CAS8706	1	\$8.40 EACH +GST
Carburettor K20-WYJ Repair Kit	 OMKK20-WYJ	1	\$22.34 EACH +GST	 CAS8708	1	\$8.40 EACH +GST
Carburettor K20-WYL Repair Kit	 OMKK20-WYL	1	\$27.11 EACH +GST	 CAS8731	1	\$7.88 EACH +GST



As another year draws to a close, we would like to notify you of our trading hours over the holiday period. We will remain open and trading in all locations until Tuesday 23rd December 2025.

On behalf of the team at Roy Gripske and Sons, we would like to extend our thanks to all of our customers for your support this year, and we wish you and your loved ones a Merry Christmas and a Happy New Year!



		QLD	VIC	NSW	WA	SA	TAS
December 2025	Monday, 22 Dec	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal
	Tuesday, 23 Dec	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal
	Wednesday, 24 Dec	Half Day	Half Day	Half Day	Half Day	Half Day	Half Day
	Thursday, 25 Dec - Christmas Day	Public Holiday	Public Holiday	Public Holiday	Public Holiday	Public Holiday	Public Holiday
	Friday, 26 Dec - Boxing Day	Public Holiday	Public Holiday	Public Holiday	Public Holiday	Public Holiday	Public Holiday
	Saturday, 27 Dec						
	Sunday, 28 Dec						
January 2026	Monday, 29 Dec	Open Normal	Open Normal	Closed	Closed	Closed	Closed
	Tuesday, 30 Dec	Open Normal	Open Normal	Closed	Closed	Closed	Closed
	Wednesday, 31 Dec	Open Normal	Open Normal	Closed	Closed	Closed	Closed
	Thursday, 1 Jan - New Years Day	Public Holiday	Public Holiday	Public Holiday	Public Holiday	Public Holiday	Public Holiday
	Friday, 2 Jan	Closed	Closed	Closed	Closed	Closed	Closed
	Saturday, 3 Jan						
	Sunday, 4 Jan						
	Monday, 5 Jan	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Closed
	Tuesday, 6 Jan	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Closed
	Wednesday, 7 Jan	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Closed
Thursday, 8 Jan	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Closed	
Friday, 9 Jan	Open Normal	Open Normal	Open Normal	Open Normal	Open Normal	Closed	

GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.
Copyright © 2025 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.
Prices do not include 10% GST unless stated. Prices valid until 31st January 2026.

Proudly supporting



Royal Flying Doctor Service
QUEENSLAND SECTION



PLEASE RECYCLE



PROUDLY AUSTRALIAN OWNED & OPERATED

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480
FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582

REDUCE REUSE RECYCLE

#NMP_1211975029818196