

MARCH  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

### FUE8815

#### Genuine Scepter, Smart Control Spout

The SmartControl spout features a squeeze-controlled flow rate, making it easy to fill everything from lawnmowers to recreational vehicles with greater control and confidence. Designed to minimise spills and reduce mess, it provides a safer, cleaner, and more efficient way to handle fuel — without wasting a drop.

- Squeeze-controlled flow rate
- Suits most Scepter fuel containers
- Easy to pour
- Fast fill with integrated vent tube

Standard Pack: 1

Box qty: 6

Replaces OEM: Scepter: ASCSP1

**NEW!**  
PRODUCT



**SCEPTER™**



**\$18.19** EACH  
+GST

### FUE8817

#### Genuine Scepter, 20 Litre Flow Control Water Can (Blue)

The Scepter Flow Control Water Can is ready for use in everything from emergency preparation to outdoor adventures. This 5-gallon (20 litre) container is the perfect size for staying hydrated while camping, fishing, or other outdoor recreation activities. The flow control valve makes it easy to adjust how much water dispenses. Constructed of durable, food-grade, BPA-free plastic, the Flow Control Water Can may also be used to store water in case of emergency, or to have on hand for lawn and garden needs. The Flow Control Water Can is a reliable, safe, convenient way to store and transport water when and where it's needed.

- Rust-proof, and corrosion-proof
- Durable for emergency preparation
- Lays flat for easy pouring
- Air vent integrated into the handle

Width: 9 1/2", 241 mm

Height: 15", 381 mm

Depth: 11 1/2", 292.1 mm

Standard Pack: 1

Box qty: 4

Replaces OEM: Scepter: WCG501

**NEW!**  
PRODUCT



**SCEPTER™**



**\$34.72** EACH  
+GST

### BLF8823

#### Non-Genuine Stihl, 20" Cut High Lift Bar Blade

- Stepped, right hand cut
- Designed for catching grass

Fits: 20" (510 mm) cut Stihl lawnmower models RMA 510 and RMA 353 walk-behind and RMA 510 V and RMA 353 V self-propelled walk-behind lawnmowers.

Length: 19.92", 506 mm

Width: 2", 50 mm

Thickness: 0.118", 3 mm

Centre Hole Diameter: 0.728", 18.50 mm

Centre Hole Type: Round

Cntr to Cntr Outside Mounting Holes: 2.795", 71 mm

Standard Pack: 1

Replaces OEM: Stihl: 6372 702 0100

**NEW!**  
PRODUCT



**\$14.85** EACH  
+GST

REDUCE REUSE RECYCLE

MARCH  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

### TOL8319

#### Pferd, 5/16" (7.9 mm) x 8" (200 mm) Round Classic Spiral Cut Chainsaw Files

Pferd chainsaw chain files feature precise spiral cut for outstanding sharpness and ultra-long tool life. For fast, score-free sharpening of saw teeth. In comparison to machine sharpening, these files remove stock sparingly without thermal loads due to friction on the metal.

- 5/16" (7.9 mm) diameter x 8" (200 mm) long.
- Classic spiral cut.
- Box of six files.
- Made in Germany

**Fits:** Suitable for use on 3/4" pitch chainsaw chains.

**Standard Pack:** 1 (Box of 6)

**NEW!**  
PRODUCT



4 007220 005286

**\$32.59** EACH  
+GST

### BRS8816

#### Universal Clearing Saw Blade 225 mm O.D x 24 Tooth x 25.4 mm Hole x 1.8 mm Thick, Made In Japan

These clearing saw blades feature incredible toughness, are specially heat treated and have passed an impact test according to ISO11806. Sharpen with our TOL8319 (7.9 mm) round chainsaw files. No need to change blades, cuts weeds, small shrubs and trees up to 70 mm in diameter. Suitable for use with a petrol brushcutter 25 cc and above or a battery model 72V and above.

- 24-Tooth Steel Blade
- Durable and Long lasting
- Resharpener with a hand file
- SKS-5 Alloy Tool Steel Construction
- Made in Japan

**Thickness:** .071", 1.8 mm

**Outside Diameter:** 8.85", 225 mm

**Mounting Hole Diameter:** 1", 25.4 mm

**No. of Teeth:** 24

**Standard Pack:** 1

**Please Note:** Sharpen with our TOL8319 (7.9 mm) chainsaw files.

**NEW!**  
PRODUCT



9 316596 234417

**\$20.00** EACH  
+GST

### LON180100056-0003

#### Non-Genuine Stiga, Cartridge Air Filter And Foam Pre-Filter

**Fits:** 38" (98 cm) cut Stiga Tornado 2098HAP years 2017 to 2020 and Tornado 598 years 2022 to 2025 when fitted with Stiga 452cc single cylinder engine model ST 500 (TRE0701, TRE0702 & TRE0801) ride-on lawnmower models. **Fits:** 42" (107 cm) cut Stiga Tornado 2108HAP years 2017 to 2019 and Tornado 5108 years 2022 to 2026 when fitted with Stiga 452cc single cylinder engine model ST 500 (TRE0701, TRE0702 & TRE0801) ride-on lawnmower models.

**Length:** 6.06", 154 mm

**Width:** 2.99", 76 mm

**Height:** 3.39", 86 mm

**Standard Pack:** 1

**Replaces OEM:** Stiga: 118550199/0, 118550199-0

**Product Line Notes:** For a complete air filter assembly use our part number LON180021007-0001.

**NEW!**  
PRODUCT



9 316596 177486

**\$6.81** EACH  
+GST

MARCH  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

### HIGHLIGHTED

#### BEL954-05129

##### Non-Genuine Cub Cadet, Upper PTO To Cutter Deck Belt

**Fits:** 72" (1829 mm) cut Cub Cadet Pro Z 900 S Series 972S [KW 972-S] (model 53AIHMUY330 years 2018 to 2020) and PRO Z 972 SD [PRO Z 900 KW 972-SD] (model 53TIHMUY330 years 2019 to 2021 - Steering wheel ZTR) zero turn radius (ZTR) ride-on models as the upper PTO to cutter deck belt.

**Length Inside Circumference:** 110.34", 2802.63 mm

**Length Outside Circumference:** 113.34", 2879 mm

**Width:** 0.669", 17 mm

Standard Pack: 1

**Replaces OEM:** Cub Cadet: 754-05129, 954-05129

**Product Line Notes:** For the above models use in conjunction with our spindle to spindle, cutter deck belt part number BEL7613 (which replaces OEM's 954-04319, 754-04319).

PRICE  
DROP



9 316596 119189

**\$96.25** EACH  
+GST

#### BEL954-05128

##### Non-Genuine Cub Cadet, Upper PTO To Cutter Deck Belt

**Fits:** 60" (1524 mm) cut Cub Cadet Pro Z 700 L Series KW 760L [760L] (model 53AIHKTV330 year 2017) and Pro Z 700 S Series 760S [KW 760-S] (model 53AIHKUV330 years 2018 to 2020) zero turn radius (ZTR) models as the upper PTO To cutter deck belt.

**Length Inside Circumference:** 102.07", 2592.57 mm

**Length Outside Circumference:** 105.07", 2669 mm

**Width:** 0.669", 17 mm

Standard Pack: 1

**Replaces OEM:** Cub Cadet: 754-05128, 954-05128

**Product Line Notes:** For the above models use in conjunction with our spindle to spindle drive, cutter deck belt part number BEL7613 (which replaces OEM's 754-04319 & 954-04319).

PRICE  
DROP



9 316596 119172

**\$89.18** EACH  
+GST

#### BEL7613

##### Non-Genuine Cub Cadet, Cutter Deck Belt

**Fits:** 60" cut Cub Cadet Pro Z 500 S Series PRO Z 560S, Pro Z 700 L Series KW 760L and Pro Z 700 S Series 760S, Tank LZ Series LZ-60 and Tank SZ Series SZ-60 zero turn radius (ZTR) ride-on models as the spindle to spindle drive, lower cutter deck belt.

**Fits:** 72" cut Cub Cadet Pro Z 900 S Series 972S, Pro Z 972 SD and PRO Z 972 SDL zero turn radius (ZTR) ride-on models as the spindle to spindle drive, lower cutter deck belt.

**Length Inside Circumference:** 132", 3352.8 mm

**Length Outside Circumference:** 135", 3429 mm

**Width:** 5/8", 15.875 mm

Standard Pack: 1

**Replaces OEM:** Cub Cadet: 754-04319, 954-04319



9 316596 091409

**\$74.97** EACH  
+GST

MARCH  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

# Genuine **HIGHLIGHTED** BRIGGS & STRATTON

### **BRI491588S**

#### Genuine Briggs & Stratton, Panel Air Filter

**Fits:** Briggs & Stratton 3 hp to 5 hp horizontal shaft engines 3.5 hp, 4.5 hp, 5 hp and 6 hp (12 CID) Quantum engines and 6 hp (13 CID) vertical shaft, engines including selected types and codes of 92200, 112200, 121700, 128700 to 129799, 12A800 to 12T899, 130200 to 130299 (starting with 2915) engine models.

**Length:** 5 1/4", 133 mm

**Width:** 4 1/2", 114 mm

**Height:** 3/4", 19 mm

**Standard Pack:** 1

**Replaces OEM:** Briggs & Stratton: 399959, 491588, 491588S

**Please Note:** Use with our BRI493537S genuine Briggs & Stratton pre-filter or non-genuine AIR5435 pre-filter. For a non-genuine air filter option use our AIR3076.



**\$6.03** EACH  
+GST

### **BRI698369**

#### Genuine Briggs & Stratton, Foam Air Filter

**Fits:** Briggs & Stratton late model Sprint and Quattro engines including selected types and codes of 98900, 9B900, 9C900 (after code 02101000) and 10A900 engine models.

**Length:** 5 1/8", 130 mm

**Width:** 2 7/8", 73 mm

**Height:** 1 1/4", 32 mm

**Standard Pack:** 1

**Replaces OEM:** Briggs & Stratton: 698369

**Please Note:** Use with our AIR6281 (FAB1) air filter oil spray. For a non-genuine air filter option use our AIR6497.



**\$9.71** EACH  
+GST

### **BRI593260**

#### Genuine Briggs & Stratton, Cartridge Air Filter

**Fits:** Briggs & Stratton selected 140cc OHV "E" series engines including 550E, 550EX, 625EX, 625EXi, 675EX, 675EXi and 725EXi Series and selected types and codes of 093J02, 09P702, 103M02, 103M05, 103MOB, 104M02, 104M05 and 104MOB engine models when fitted with a paper cartridge type air filter.

**Length:** 4 3/8", 111 mm

**Width:** 2 5/8", 66 mm

**Height:** 1 1/4", 32 mm

**Standard Pack:** 1

**Replaces OEM:** Briggs & Stratton: 593260, 798452

**Please Note:** For a non-genuine replacement pre-filter use our part number AIR8001. For a non-genuine replacement air filter and pre-filter use our part number AIR7856.



**\$11.35** EACH  
+GST

MARCH  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

# Genuine HIGHLIGHTED BRIGGS & STRATTON

### BRI496894S

#### Genuine Briggs & Stratton, Cartridge Air Filter, Metal Top (Single Hole)

**Fits:** Briggs & Stratton 12 hp, 12.5 hp and 14 hp vertical shaft engines and 13 hp Diamond Plus. Also suits 15.5 hp OHV and 17 hp Intek engines including selected types and codes of 282700, 283700, 286700, 287700, 28M700, 28N700, 28P700, 28Q700, 28T700, 28V700 and 28S700 engine models.

**Length:** 7.244", 184 mm

**Width:** 2.913", 74 mm

**Height:** 3.031", 77 mm

**Standard Pack:** 1

**Replaces OEM:** Briggs & Stratton: 493909, 496894, 496894S

**Please Note:** Use with our AIR4070 non-genuine pre-filter. For a non-genuine air filter option use our AIR4069.



**\$18.64** EACH  
+GST

### BRI696854

#### Genuine Briggs & Stratton, Extended Life Yellow Oil Filter

- Extended life version of OEM 492932S short type oil filter

**Fits:** Briggs & Stratton most Intek and Vanguard OHV engines and selected "L" head twin cylinder engines including selected type and codes of 28AH76, 28AH77, 28BH76, 28CH77, 31H777, 31K777, 31L777, 31M777, 31P777, 31Q777, 40F777, 40G777, 40H777, 446677, 446777, 44677A, 446877 and 446977 engine models.

**Standard Pack:** 1

**Replaces OEM:** Briggs & Stratton: 696854



**\$16.58** EACH  
+GST

### BRI492932S

#### Genuine Briggs & Stratton, Oil Filter - Short Type

**Fits:** Briggs & Stratton pressure lubrication engines including 5 hp to 14 hp Vanguard models and 15 hp to 17 hp Intek engine models.

**Length:** 2 1/4", 57.15 mm

**Outside Diameter:** 3", 76.2 mm

**Micron Rating:** 25 - 30 Seal O.D: 2 13/16", 71.43 mm

**Standard Pack:** 1

**Replaces OEM:** Briggs & Stratton: 492056, 492932, 492932S, 696854

**Please Note:** For a non-genuine oil filter option use our OIP4007.



**\$11.59** EACH  
+GST



# PARTS

## MONTHLY UPDATE

# HIGHLIGHTED

### ADV8110

#### Universal, Maxima Air Filter Cleaner - Aerosol Spray Can 507 ml (17.1 fl oz)

Maxima air filter cleaner is a spray-on foam and fabric air filter cleaner. This purpose specific air filter cleaner is manufactured with a highly effective emulsion formula which contains no caustic chemicals and easily washes out in water. Ideal for removing heavy filter oils, dirt, grease and other contaminants.

- Easily washes out in water
- Effectively cleans foam and fabric air filters
- Contains no CFC's
- Removes heavy filter oil, dirt, grease and other contaminants
- Will not harm foam or glue
- Widely used in the motorcycle industry

Standard Pack: 1

Box qty: 12



**\$23.20** EACH  
+GST



### BRA5745

#### Non-Genuine Tanaka, Universal, Alloy Brushcutter Head - Old Style

- 4 x 4 mm line outlets
- Provision to wind on and store nylon line
- Alloy backing plate for weight reduction

**Fits:** Selected straight shaft brushcutter models.

**Inside Diameter:** 1", 25.4 mm

Standard Pack: 1

**Replaces OEM:** Tanaka: CH-300, 746290



**\$15.28** EACH  
+GST

### AIR6281

#### Universal, FAB1 Spray On Air Filter Oil 13.5 oz / 383 gm Aerosol Can

FAB1 spray on air filter oil in an aerosol can, is a water resistant highly advanced synthetic based formula suitable for all oil type fabric and foam filters. The super tacky polymer and co-polymer additives attract and hold onto fine dust particles while the dark blue colour allows you to see where you have applied the product to ensure even coverage.

- Maximises Filter Efficiency
- Fast Penetration
- Traps Dust, Sand and Dirt
- Water Repelling
- Easy To Use, No Waste
- Suitable for all oil type fabric and foam filters.

Standard Pack: 1

Box qty: 12



**\$24.83** EACH  
+GST



### BRA6539

#### Non-Genuine Universal, Tanaka Type Alloy Brushcutter Head - New Style

- 4 line outlets, 2 x 2.8 mm and 2 x 3.8 mm
- Provision to wind on and store nylon line
- Alloy backing plate for weight reduction

**Fits:** Selected straight shaft brushcutter models.

**Inside Diameter:** 1", 25.4 mm

Standard Pack: 1



**\$15.28** EACH  
+GST



# PARTS

## MONTHLY UPDATE

# HIGHLIGHTED

### **BRA1220**

#### **Non-Genuine Universal, Alloy Brushcutter Head**

- Maximum line diameter 3.7 mm
- Use with pre-cut lengths of nylon
- Supplied with adaptor washers
- 8, 10 & 15 mm applications or can be drilled to suit any size shaft

**Fits:** Selected straight shaft brushcutter models.

**Standard Pack:** 1

**Replaces OEM:** Honda: L1000-UMK-016

Tanaka: CH-100, 746280



9 316596 017447

**\$12.72** EACH  
+GST

### **BRA8113**

#### **Non-Genuine Universal, Tanaka Type Alloy Brushcutter Head with Steel Backing Plate**

- 4 x 3 mm line outlets
- Provision to wind on and store nylon line
- Steel backing plate for extra strength

**Fits:** Selected straight shaft brushcutter models.

**Inside Diameter:** 1", 25.4 mm

**Standard Pack:** 1



9 316596 103751

**\$14.65** EACH  
+GST

### **BRA8115**

#### **Non-Genuine Universal, Tanaka Type Alloy Brushcutter Head with Steel Backing Plate**

- 4 x 4 mm line outlets
- Provision to wind on and store nylon line
- Steel backing plate for extra strength

**Fits:** Selected straight shaft brushcutter models.

**Inside Diameter:** 1", 25.4 mm

**Standard Pack:** 1



9 316596 103775

**\$14.65** EACH  
+GST

MARCH  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

# HIGHLIGHTED

### BLR6908

#### Non-Genuine Cub Cadet, 60" Cut Standard Bar Blade

3 blades required for 60"

- Stepped and high fluted, right hand cut.

**Fits:** 60" (1524 mm) cut Cub Cadet Pro Z 700 L Series KW 760L (model 53AIHKTV330 year 2017), 760S [KW 760-S] (model 53AIHKUV330 years 2018 to 2019), Tank selected models including 27 hp, 2004 model Tank M60-KH (models 53AB5BDX150 years 2003 to 2004, 53AB5BDX750 year 2004 and 53CB5BDX630), Tank M60-KW (models 53CB5D8X630 and 53BB5D8X750 year 2006), Tank LZ Series LZ-60 (models 53AH2PTD330 year 2012 and 53BH2PTD330 years 2014 to 2016), Tank S S6031-KW [Synchro Steer] (models 53AI8DU6050 year 2009 and 53AI8DU6330), Tank SZ Series SZ-60 (model 53AI2PUD330 years 2012 to 2016) zero turn radius (ZTR) ride-on lawn mower models.

**Length:** 21", 533 mm

**Width:** 3", 76.2 mm

**Centre Hole Diameter:** 3/4", 19.05 mm

**Centre Hole Type:** Round

**Standard Pack:** 1

**Replaces OEM:** Cub Cadet: 1005338, 01005338, 02005019, 742-04415, 942-04415



**\$20.62** EACH  
+GST

### BLF8734

#### Non-Genuine EGO, 20" Cut High Lift Bar Blade

- Stepped fluted, right hand cut.
- Designed for catching grass.
- Manufactured in the USA.

**Fits:** 20" (508 mm) cut EGO Power selected lawnmower models including but not limited to LM2020E walk-behind and LM2020E-SP self-propelled walk-behind lawnmowers.

**Length:** 19.30", 490.22 mm

**Width:** 2" (At centre) / 2.95" Width at tips., 50.8 mm (At centre) / 74.93 mm (At tips).

**Thickness:** 0.118", 2.9972 mm

**Centre Hole Diameter:** 0.65", 16.51 mm

**Centre Hole Type:** Round

**Outside Hole Diameter:** 1/4", 6.35 mm

**Cntr to Cntr Outside Mounting Holes:** 1 13/16", 46.0375 mm

**Standard Pack:** 1

**Replaces OEM:** EGO: AB2001



**\$26.62** EACH  
+GST

### BLF8736

#### Non-Genuine EGO, 21" Cut High Lift Bar Blade

- Stepped fluted, right hand cut.
- Designed for catching grass.
- Manufactured in the USA.

**Fits:** 21" (533 mm) cut EGO Power selected lawnmower models including but not limited to LM2100E walk-behind and LM2100E-SP walk-behind self-propelled lawnmower models.

**Length:** 20.15", 511.81 mm

**Width:** 2" (At centre) / 2.95" (At tips), 50.8 mm (At centre) / 74.93 mm (At tips).

**Thickness:** 0.1180", 2.9972 mm

**Centre Hole Diameter:** 0.65", 16.51 mm

**Centre Hole Type:** Round

**Outside Hole Diameter:** 3/8", 9.525 mm

**Cntr to Cntr Outside Mounting Holes:** 1 13/16", 46.0375 mm

**Standard Pack:** 1

**Replaces OEM:** EGO: AB2101



**\$26.62** EACH  
+GST

# GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.  
Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.  
Prices do not include 10% GST unless stated. Prices valid until 31st March 2026.

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480

FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582

Proudly supporting



Royal Flying Doctor Service  
QUEENSLAND SECTION



PLEASE  
RECYCLE



PROUDLY  
AUSTRALIAN  
OWNED & OPERATED