

APRIL  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

### BRF8807

#### Non-Genuine Echo, Shindaiwa, Paper Panel Air Filter And Foam Pre-Filter

**Fits:** Echo PB-2620 blower model.

**Fits:** Echo SRM-2620ES/U, SRM-2620TES/L, SRM-2621ES/U, SRM-2621TES/L, SRM-3020TES/U & SRM-3021TES/U brushcutter models.

**Fits:** Echo HC-2411ESR, HC-2811ESR, HCA-2620ES-HD, HCAS-2620ES-HD, HCR-166ES, HCS-2811ES, HCS-3021ES & HCS-3811ES hedge trimmer models.

**Fits:** Echo PE-2620 power edger model.

**Fits:** Echo PPT-2620ES & PPT-2620HES power pruner models.

**Fits:** Echo PAS-2620ES pro attachment series model.

**Fits:** Echo SRM-2620ES/L, SRM-2620TES/L, SRM-2621ES/L, SRM-2621TES/L, SRM-3020TES/L & SRM-3021TES/L trimmer models.

**Fits:** Shindaiwa EB262 blower model.

**Fits:** Shindaiwa C262S, C262TS, C263S, C263TS, C302TS & C303TS brushcutter models.

**Fits:** Shindaiwa AH262S-HD, AHS262S-HD, DH281ST, HT281S, HT301S & HT381S hedge trimmer models.

**Fits:** Shindaiwa M262S multi-tool system model.

**Fits:** Shindaiwa PT262S pole pruner model.

**Fits:** Shindaiwa T262TXS, T262XS, T263TXS, T263XS, T302TS & T303TS trimmer models.

**Length:** 2.9", 73.7 mm

**Width:** 2.85", 72.5 mm

**Height:** 0.69", 17.5 mm

**Standard Pack:** 1

**Replaces OEM:** Echo, Shindaiwa: A226-002030 Air Filter, A226-002040 Pre-Filter



**\$7.28** EACH +GST

**NEW!**  
PRODUCT

### LON180130289-0001

#### Non-Genuine Bushranger, Loncin, Cartridge Air Filter

**Fits:** 19" (482 mm) cut Bushranger walk-behind lawn mower model BUSH48AL7M when fitted with a 1P70FC, 196 cc single cylinder, vertical shaft, air cooled, 4-stroke, OHV Loncin engine.

**Fits:** 21" (533 mm) cut Bushranger Self-Propelled lawn mower models BRU53AL7IMSP and BRU53AL7IMSPB when fitted with a 1P70FC, 196 cc single cylinder, vertical shaft, air cooled, 4-stroke, OHV Loncin engine.

**Fits:** Loncin 1P70FC, 196 cc single cylinder, vertical shaft, air cooled, 4-stroke, OHV model engine.

**Length:** 5.71", 145 mm

**Width:** 2.57", 65.30 mm

**Height:** 2.19", 55.50 mm

**Standard Pack:** 1

**Replaces OEM:** Bushranger: 180130289-0001

**Product note:** Use with our LON180130290-0001 Pre-filter.



**\$7.64** EACH +GST

**NEW!**  
PRODUCT

### LON180100123-0001

#### Non-Genuine Stiga, Cartridge Air Filter And Foam Pre-Filter

**Fits:** 38" (98 cm) cut Stiga Estate 598V years 2022 to 2026 when fitted with Stiga 586cc V-Twin cylinder engine model ST 550 (TRE586V, TRE586VA & TRE635V) ride-on lawnmower models.

**Fits:** 42" (107 cm) cut Stiga Tornado 4108HWSAP years 2022 to 2026 when fitted with Stiga 586cc V-Twin cylinder engine model ST 550 (TRE586V, TRE586VA & TRE635V) ride-on lawnmower models.

**Length:** 6.3", 160 mm

**Width:** 3.54", 90 mm

**Height:** 2.61", 66.3 mm

**Standard Pack:** 1

**Replaces OEM:** Stiga: 118551590/0, 118551590-0



**\$12.22** EACH +GST

**NEW!**  
PRODUCT

### LON180130290-0001

#### Non-Genuine Bushranger, Loncin, Foam Wrap Pre-Filter

**Fits:** 19" (482 mm) cut Bushranger walk-behind lawn mower model BUSH48AL7M when fitted with a 1P70FC, 196 cc single cylinder, vertical shaft, air cooled, 4-stroke, OHV Loncin engine.

**Fits:** 21" (533 mm) cut Bushranger Self-Propelled lawn mower models BRU53AL7IMSP and BRU53AL7IMSPB when fitted with a 1P70FC, 196 cc single cylinder, vertical shaft, air cooled, 4-stroke, OHV Loncin engine.

**Fits:** Loncin 1P70FC, 196 cc single cylinder, vertical shaft, air cooled, 4-stroke, OHV model engine.

**Length:** 6.33", 160.70 mm

**Width:** 1.68", 42.70 mm

**Standard Pack:** 1

**Replaces OEM:** Bushranger: 180130290-0001

**Product note:** Use with our LON180130289-0001 Air filter.



**\$1.40** EACH +GST

**NEW!**  
PRODUCT

REDUCE REUSE RECYCLE

APRIL  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

### HIGHLIGHTED



## ONE CAN WORK \ HOME \ PLAY

### THUMB TRIGGER & SAFETY

Allows user to control the flow speed with their hand not their back.

### SAFETY FILL CAP

Allows the can to burp out pressure preventing ballooning effect when fuel expands in the heat, while not leaking fuel.

### SELF-VENTING

Valve eliminates glogging.

### FLAME MITIGATION DEVICE

Located in the fill neck helps protect user from back-flash explosions if fumes meet an ignition source.

### MULTI-LAYER HDPE

Most durable fuel can available. Prevents leaks when can expands due to heat and vapor.

### 180° ROTATING POURING SPOUT

Dispenses fuel from from the bottom for total ease of use. Allows you to reach those awkward fill locations. Eliminate spills, stress and smells!

### SPARK ARRESTOR

Inside spout helps protect user from back-flash explosions if fumes meet an ignition source.

# SAFETY

Non-Metallic High Density Polyethylene Type II Safety Can

✓ FM APPROVED ✓ ACCEPTED BY CARB. ✓ MEETS OSHA & MSHA STANDARD GUIDELINES ✓ COMPLIANT WITH AS/NZS 2906 2001



**FUE8678**  
Genuine SureCan, 8.3 Litre  
(2+ Gallon) Safety Fuel Can

**Width:** 9", 228.6 mm  
**Height:** 12.12", 307.84 mm  
**Depth:** 14", 355.6 mm

- International Standard: FM Approved. Accepted Under CARB. Meets OSH & MSHA Standard Guidelines. Compliant with AS/NZ 2906 (2001).

Standard Pack: 1  
Box qty: 9

**SPECIAL PRICE**



**\$66.18** EACH  
+GST



**FUE8680**  
Genuine SureCan, 18.9 Litre  
(5 Gallon) Safety Fuel Can

**Width:** 10.24", 260.09 mm  
**Height:** 15.61", 396.49 mm  
**Depth:** 13.1", 332.74 mm

- International Standard: FM Approved. Accepted Under CARB. Meets OSH & MSHA Standard Guidelines. Compliant with AS/NZ 2906 (2001).

Standard Pack: 1  
Box qty: 7

**SPECIAL PRICE**



**\$87.82** EACH  
+GST



**FUE8717**  
Genuine SureCan, 18.9  
Litre (5 Gallon) Yellow  
Diesel Safety Fuel Can

**Width:** 10.24", 260 mm  
**Height:** 15.61", 396 mm  
**Depth:** 13", 330 mm

- International Standard: FM Approved. Meets OSHA & MSHA Standard Guidelines. DOT Certified. UN Certified. NFPA 30 Certified. Compliant with AS/NZ 2906 (2001).

Standard Pack: 1  
Box qty: 7

**SPECIAL PRICE**



**\$87.82** EACH  
+GST



# PARTS

## MONTHLY UPDATE



### PROXUT<sup>®</sup>

#### HARD WOOD AUGER

- Special surface coating for smooth chip ejection and less resistance.
- Self-feed screw point for fast drilling.
- Designed with rigidity against bending & wobbling, producing an accurate clean hole.
- Auger design makes it easy to resharpen.
- Shank has a hex mounting shape for ease of attachment and no slipping.
- Packed in a square hang pack for retail display.



**HIGHLIGHTED**



MADE IN JAPAN  
FOR AUSTRALIAN HARDWOOD.

PART NO	DIAMETER	HEX SHANK DIAMETER	CLEARANCE
<b>12" (305MM) LONG</b>			
TOL8649	1/2", 13 mm	5/16", 7.9375 mm	<b>\$18.25</b> ea
TOL8650	9/16", 14 mm	7/16", 11 mm	<b>\$18.48</b> ea
TOL8651	5/8", 16 mm	7/16", 11 mm	<b>\$19.86</b> ea
TOL8652	3/4", 19 mm	7/16", 11 mm	<b>\$23.87</b> ea
TOL8653	1-1/8", 29 mm	7/16", 11 mm	<b>\$33.45</b> ea
TOL8654	1-1/4", 32 mm	7/16", 11 mm	<b>\$40.02</b> ea
<b>18" (457 MM) LONG</b>			
TOL8655	3/8", 10 mm	5/16", 7.9375 mm	<b>\$19.07</b> ea
TOL8656	7/16", 11 mm	5/16", 7.9375 mm	<b>\$19.63</b> ea
TOL8657	1/2", 13 mm	5/16", 7.9375 mm	<b>\$21.47</b> ea
TOL8658	9/16", 14 mm	7/16", 11 mm	<b>\$21.72</b> ea
TOL8659	5/8", 16 mm	7/16", 11 mm	<b>\$23.36</b> ea
TOL8660	11/16", 18 mm	7/16", 11 mm	<b>\$25.52</b> ea
TOL8661	3/4", 19 mm	7/16", 11 mm	<b>\$28.07</b> ea
TOL8662	7/8", 22 mm	7/16", 11 mm	<b>\$30.56</b> ea
TOL8663	1", 25 mm	7/16", 11 mm	<b>\$37.06</b> ea
TOL8664	1-1/8", 29 mm	7/16", 11 mm	<b>\$39.35</b> ea
TOL8665	1-1/4", 32 mm	7/16", 11 mm	<b>\$47.09</b> ea

APRIL  
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.  
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



# PARTS

## MONTHLY UPDATE

# HIGHLIGHTED

### JAS7511

#### Non-Genuine Cub Cadet, MTD, Spindle Assembly

- For selected 46" cut decks using star centre hole blades.

**Fits:** Cub Cadet 46" cut LT1045, LT1046 13AP11CH630 23hp hydro 2006 models, i1046 17AF9BKKH630 20hp hydro 2007 models.

**Fits:** MTD Yardman 46" cut 13AR604H671 auto drive 23hp 2006 models, 13AP604H671 auto drive 23hp 2007 models.

**Standard Pack:** 1

**Replaces OEM:** Cub Cadet, MTD: 618-0625, 618-0625A, 618-0625B, 918-0625B, 618-0660, 618-0660A, 618-0660B, 918-0660, 918-0660A, 918-0660B, 618-04137, 618-04137A, 918-04137, 918-04137A



PRICE  
DROP



**\$43.49** EACH  
+GST

### JAS7579

#### Non-Genuine Cub Cadet, Spindle Assembly

**Fits:** Cub Cadet 42" cut decks using round centre hole blades and fitted with a 6.250" spindle pulley including Cub Cadet LT1042 13AX11CG630 19hp Hydro 2005 models

**Deck Size:** 42", 106 cm

**Pulley Diameter:** 6 1/4", 158.75 mm

**Standard Pack:** 1

**Replaces OEM:** Cub Cadet: 918-04124A, 618-04124A



PRICE  
DROP



**\$64.36** EACH  
+GST

### JAS7583

#### Non-Genuine Cub Cadet, Spindle Assembly

**Fits:** Cub Cadet 46" Cut decks using round centre hole blades and fitted with a 5.5" spindle pulley including - Cub Cadet 46" cut LT1022

13AB11CH710 22hp Hydro 2004, LT1046

13AP11CH630 23hp Hydro 2005 models.

**Pulley Diameter:** 5 1/2", 139.7 mm

**Standard Pack:** 1

**Replaces OEM:** Cub Cadet: 918-04123B, 618-04123B



PRICE  
DROP



**\$59.32** EACH  
+GST

### JAS7750

#### Non-Genuine Cub Cadet, Kioti Daedong, Massey Ferguson, Troy Bilt, Spindle Assembly

**Fits:** Cub Cadet 54" cut GT1554 model 14AQ94AK330 (2011), GTX1054 model 14AZ94AK330 (2012 to 2013) and 14BZ94AK330 (2014).

**Fits:** Kioti Daedong 54" cut DZT-2354 model 17AK2ACK396 (2011), DZT-2354 model 17AF2ACK396 (2012).

**Fits:** Massey Ferguson 54" cut MF54-25SD model 14AQ94CK395 (2012 to 2013).

**Fits:** Troy Bilt 54" cut Mustang model 17AF2ACK309 (2012).

**Standard Pack:** 1

**Replaces OEM:** Cub Cadet, Kioti Daedong, Massey Ferguson, Troy Bilt: 918-04608A, 618-04608, 618-04608A, 618-0671, 618-0671B, 618-0671D, 918-0671, 918-0671B, 918-0671D



PRICE  
DROP



**\$44.03** EACH  
+GST

# GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.  
Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.  
Prices do not include 10% GST unless stated. Prices valid until 30th April 2026.

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480

FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582

Proudly supporting



Royal Flying Doctor Service  
QUEENSLAND SECTION



PLEASE  
RECYCLE



PROUDLY  
AUSTRALIAN  
OWNED & OPERATED