

MAY
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



PARTS

MONTHLY UPDATE

BLR8821

Non-Genuine Toro 72" Cut Side Discharge High Lift Bar Blade

3 blades required for 72" cut

- Notched blade, flat and fluted right hand cut.

Fits: 72" (1829 mm) cut Toro Z Master Professional 6000 Series (models 72947 ser 400000000 - 999999999 years 2020 to 2026 and 72961 ser 400000000 - 999999999 years 2020 to 2026 and 72968 ser 400000000 - 999999999 years 2020 to 2026), Z Master Professional 7000 Series (model 72274 ser 400000000 - 999999999 years 2020 to 2021), Z Master Professional 7500-D Series (models 72030 ser 400000000 - 999999999 years 2021 to 2026 and 72076 ser 400000000 - 999999999 years 2020 to 2026) side discharge zero turn radius (ZTR) ride-on models.

Length: 24-1/2", 640 mm

Width: 3", 76.2 mm

Thickness: 0.204", 5 mm

Centre Hole Diameter: 15/16", 24 mm

Centre Hole Type: Round

Standard Pack: 1

Replaces OEM: Toro: 140-1238, 140-4872

NEW!
PRODUCT



\$34.87 EACH
+GST

GSL8830

Non-Genuine Briggs & Stratton Crankcase Gasket Fits Selected 3000E, 3000EX, 4000E, 4000EX and 1900EX Series Engines

Fits: Selected 3000E, 3000EX, 4000E, 4000EX and 1900EX series single cylinder vertical shaft engines


including 210702, 210807, 212702, 212707, 212802, 212902, 212907, 214707, 214907, 215702, 215705, 215707, 215802, 215805, 215807, 215872, 215877, 215902, 215907, 215972, 216702, 216802, 216902, 216907, 216977, 217702, 217707, 217802, 217805, 217807, 217877, 217902, 217907, 217972, 217976, 217977, 218707, 218802, 218807, 219702, 219707, 219802, 219806, 219807, 219872, 219902, 219906, 219907, 219972, 219977, 21A707, 21A807, 21A877, 21A902, 21A907, 21A972, 21A977, 21B707, 21B807, 21B877, 21B902, 21B906, 21B907, 21B972, 21B976, 21B977, 21D807, 21R502, 21R507, 21R602, 21R607, 21R677, 21R702, 21R706, 21R707, 21R772, 21R777, 21R802, 21R806, 21R807, 21R872, 21R876, 21R877, 280H06, 280H07, 280J07, 280J77, 281H07, 282H07, 282H77, 283H07, 284H07, 284H77, 285H07, 285H77, 286H07, 286H77, 28AH76, 28AH77, 28BH76, 28BH77, 28CH77, 319775, 31A507, 31A607, 31A677, 31A707, 31A777, 31A807, 31B707, 31B775, 31C707, 31C777, 31D707, 31D777, 31E507, 31E577, 31E607, 31E677, 31E707, 31E777, 31E877, 31F707, 31F775, 31F777, 31G707, 31G777, 31H707, 31H777, 31K777, 31L777, 31M777, 31M877, 31M977, 31N607, 31N677, 31N707, 31N777, 31N807, 31P607, 31P677, 31P707, 31P777, 31P877, 31P977, 31Q507, 31Q577, 31Q677, 31Q777, 31R507, 31R577, 31R607, 31R677, 31R707, 31R777, 31R807, 31R875, 31R877, 31R907, 31R975, 31R976, 31R977, 31S777, 31S877, 31S977, 31U977, 31X707, 331707, 331777, 331807, 331877, 331977, 33M677, 33M777, 33M977, 33R777, 33R877, 33S777, 33S877 engine models.

Thickness: .015", .381 mm

Standard Pack: 10

Replaces OEM: Briggs & Stratton: 697110

NEW!
PRODUCT



\$7.83 EACH
+GST

HYD73641

Hydro-Gear Oil Resistance RTV Silicone Gasket Maker 85g

- Non-Corrosive Formula
- Superior Resistance
- High Flexibility
- Long-lasting & Durable

Standard Pack: 1

Please note: Not recommended for use on head gaskets or parts in contact with petrol.

NEW!
PRODUCT



\$58.63 EACH
+GST

REDUCE REUSE RECYCLE



PARTS

MONTHLY UPDATE

HIGHLIGHTED

JAS5067

Non-Genuine MTD, Spindle Assembly

Fits: MTD 38" and 42" Deck Model 600 & 805 Series.
42" Models 700-739 & 750-769

Standard Pack: 1

Replaces OEM: MTD: 717-0906A, 917-0906A

Please Note: For replacement bearings use our bearing BEA145. For replacement shaft use our JAS5552 Non-Genuine MTD Spindle Shaft.

Normally \$58.82



SPECIAL PRICE

\$29.05 EACH
+GST



JAS5722

Non-Genuine Murray, Spindle Repair Kit

Fits: Murray 1983 and newer models.

1x 5/8" x 1 3/8" OD bearing 1x 5/8" x 1 9/16" OD bearing 1x 7/8" OD x 1 11/16" bush 1x 1/2" x 20 nut

Standard Pack: 1

Please Note: Use with our JAS5339 Non-Genuine Murray Spindle Housing Assembly.

Normally \$22.27



SPECIAL PRICE

\$13.54 EACH
+GST



JAS5697

Non-Genuine Murray, Spindle Shaft

- Splined

Fits: Selected Murray 30" rear engine ride-ons. Also fits selected Murray 38", 42" & 46" cut front engine ride-on lawnmowers.

Length: 6 1/4", 158.75 mm

Outside Diameter: 5/8", 15.875 mm

Standard Pack: 1

Replaces OEM: Murray: 55272

Normally \$19.26



SPECIAL PRICE

\$9.31 EACH
+GST



JAS6074

Non-Genuine MTD, Spindle Assembly

- Comes without pulley, uses a double pulley.

Fits: MTD LH side on 46" deck 800 series late models from 1997 to current, with star hole blades.

Standard Pack: 1

Replaces OEM: MTD: 618-0241, 918-0241, 918-0431

Please Note: Early Models use a different spindle shaft assembly.

Normally \$94.92



SPECIAL PRICE

\$24.93 EACH
+GST



JAS6280

Non-Genuine John Deere, Spindle Assembly

Fits: John Deere 38" decks STX38 & STX46 (black mower deck) lawn tractor.

Pulley Diameter: 5.594", 142 mm

Pulley Height: 1", 25.4 mm

Standard Pack: 1

Replaces OEM: John Deere: AM124511

Normally \$79.87



SPECIAL PRICE

\$36.95 EACH
+GST



JAS6574

Non-Genuine MTD, Troy Bilt, Spindle Assembly

Fits: MTD late model 600 series with 42" (1067mm) cut decks using star centre hole blades including models: 13AD604G401, 13AI608G129, 13AK604G401, 13AS608G033, 13AT618G098, 13AD608G300, 13BT604G401 etc. MTD 13AP608G129 Black Beauty 42" cut 18hp 2002 models, MTD Yardman 42" cut 13BT604G452 20hp 2006 models.

Fits: Troy Bilt 42" cut 13CD609G063 17.5hp 2002 models.

Height: 4.562", 115.8 mm

Pulley Diameter: 5 3/4", 146.05 mm

Standard Pack: 1

Replaces OEM: MTD, Troy Bilt: 918-0574, 618-0574, 618-0565

Normally \$82.62



SPECIAL PRICE

\$33.97 EACH
+GST



MAY
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



PARTS

MONTHLY UPDATE

HIGHLIGHTED

JAS7573

Non-Genuine Dixon, Husqvarna, Spindle Assembly

Fits: Dixon Kodiak models.

Fits: All Tunnel Ram Decks between 2005 to 2007. Husqvarna selected 42", 48", 52", 61" & 72" cut Zero Turn Radius ride on lawnmower models including- IZ4217, IZ4821, IZ5225, IZ5223, LZ6125, LZ6130, LZ7230, ZTH5223, ZTH6123 2003 to 2006 models.

Standard Pack: 1

Replaces OEM: Husqvarna: 539 10 87-63, 539 10 87-73, 539 11 29-34, 539 11 48-20, 539 13 13-83, 966 95 61-01
Normally \$102.94



SPECIAL PRICE



\$52.09 EACH +GST

JAS7780

Non-Genuine Murray, Flanged Spindle Shaft Nut

Fits: Selected Murray models.

Standard Pack: 1

Replaces OEM: Murray: 15X121

Please Note: Use with our JAS6415 Non-Genuine Spindle Assembly.

Normally \$1.74



SPECIAL PRICE



\$1.03 EACH +GST

JAS8462

Non-Genuine John Deere, Blade Washer 5/8" Hole, Suits Our JAS7532- Please Refer To Notes

Fits: 36" (915 mm) cut John Deere X100 Series X115R and X135R ride -on lawn mower models - 2 required for 36" cut. **Fits:** 38" (1067 mm) cut John Deere X300 ride -on lawn mower models - 2 required for 38" cut. **Fits:** 42" (1067 mm) cut John Deere 100 Series 102, 115, 125, D100, D105, D110, D120, D125, D130, E100, E110, E120, E130, LA100, LA105, LA115, LA125, S240 Sport, X155R, X300, X304, X310, X350 and X350R ride -on lawn mower models and EZtrak Z225 and Z235 zero turn radius (ZTR) ride-on models - 2 required for 42" cut. **Fits:** 48" (1220 mm) cut John Deere 100 Series 145, 155C, D140, E140, L120, L130 and LA145 ride -on lawn mower models and Z255 EZtrak zero turn radius (ZTR) ride-on models - 3 required for 48" cut.

Inside Diameter: 5/8", 15.875 mm

Outside Diameter: 1.748", 44.40 mm

Centre Hole Type: Round

Standard Pack: 1

Replaces OEM: John Deere: M149625

Please Note: Suitable for use with our spindle assembly JAS7532 (replaces OEM's GY20454, GY20962, GY21098) - This is the late model spindle housing with 5/8" - 18 thread on the spindle shaft at the blade mounting end as used on models with a serial number 015481 onwards. Note: Early models spindle assemblies (serial number 015480 and before) had a 12 mm thread.

Normally \$1.22



SPECIAL PRICE



\$0.72 EACH +GST

BLR8732

Non-Genuine Husqvarna, Redmax, 54" Cut High Lift Standard Type Bar Blade For ClearCut Fabricated Decks

3 blades required for 54" cut

• Standard type bar blade. High Lift. Stepped and high fluted, right hand cut. Manufactured in the USA.

Fits: 54" (1372 mm) cut Husqvarna selected models fitted with ClearCut Fabricated cutting decks including but not limited to MZ54 [MZ 54] (model 96769610200 years 2019 to 2024), TS 354 (model 960410428 years 2018 to 2022 and model 960410455 years 2023 to 2026), TS 354XD (model 960410419 years 2018 to 2020), Z254F [Z 254F] (model 96768100200 years 2018 to 2019) zero turn radius (ZTR) ride-on models.

Length: 18 1/2", 469.9 mm

Width: 3 1/4", 82.55 mm

Thickness: .150", 3.81 mm

Centre Hole Type: 5-Point Star

Standard Pack: 1

Replaces OEM: Husqvarna, Redmax: 582 06 25-01, 582 06 25-02, 582 76 05-01, 582 76 05-02



**NEW BRAND
FITMENT**



\$30.00 EACH +GST

MAY
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



PARTS

MONTHLY UPDATE

HIGHLIGHTED

TOL7424

MoJack, Workbench Attachment Suits our TOL5731, TOL8439 and TOL8452

- The MoJack Workbench is an accessory attachment for our TOL5731, TOL8439 and TOL8452 MoJack ride on mower and ZTR lift. This workbench allows you to get small projects up off the ground. Safely and efficiently work on walk behind lawnmowers and small engines. Allows easy access to the underneath of a push mower for servicing and cleaning. Features a safety locking pin to prevent a push mower from slipping while performing servicing. Lifts up to a maximum of 28" (711 mm). Will support up to 200 lb (90.7 kg). Easily lift small projects with one hand or a power drill. Lightweight and easy to store.

Workbench dimensions when assembled: Length: 36" (914 mm) Width: 12" (304 mm) Height: 4" (100 mm)
Standard Pack: 1



\$188.47 EACH
+GST

TOL5731

MoJack, Pro Ride On and ZTR Lift

Custom designed to provide an easy way to lift and safely secure your mower, the MoJack PRO is adjustable to fit virtually any riding mower on the market - from small lawn tractors to large ZTRs. Great for blade sharpening or belt replacement and general servicing jobs. With a winch that makes lifting quick and easy this is the safe way to service outdoor power equipment.

- All-in-one unit that easily lifts virtually any mower on the market with a deck size of 30" - 72". Double-redundant self-braking winch with ratcheting safety lock. Lifting capacity of 750 lbs. (340.19 kg) [Please Note: Lifting front end only, NOT total weight of mower]. Raises up to 25" (635 mm). Easily lifted with one hand or a power drill. Folds flat to a 6" (152.4 mm) height for easy storage. Also works well for ATV's and other maintenance projects.

Length: 40", 1016 mm

Width: 62.5", 1587.5 mm

Height: 45", 1143 mm

Weight: 119 lbs, 53.97 kg

Carton Size: L 40" (1016 mm) x W 20" (508 mm) x H 6" (152.4 mm)

Standard Pack: 1

Please Note: Lifting capacity of 750 lbs (340.19 kg) lifting front end only, not total weight of mower. Use with our Mojack workbench attachment part number TOL7424.



\$804.64 EACH
+GST

GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.
Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.

Prices do not include 10% GST unless stated. Prices valid until 31st May 2026.

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480

FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582

Proudly supporting



Royal Flying Doctor Service
QUEENSLAND SECTION



PLEASE
RECYCLE



PROUDLY
AUSTRALIAN
OWNED & OPERATED