

**JUNE
2026**

**ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE**



PARTS

MONTHLY UPDATE

HIGHLIGHTED

PROFESSIONAL PREMIUM QUALITY, SOLID, REPLACEABLE SPROCKET NOSE GUIDE BAR.

- Manufactured from a single piece of steel, featuring superior durability and stiffness characteristics.
- High durability, long sprocket nose takes most of the abuse, and minimizes wear to the bars body.
- Polished lacquered finish.
- Nose fastens with three rivets, and is securely held by wide and strong overlapping ears.
- Super tough steel, heat treated up to 4 times on different parts of the guide bar, provides superior bar-body strength and tough rails with excellent resistance to wear and chipping.
- PROKUT Platinum Sugihara guide bar rails measure HRC60 on a hardness scale.
- All PROKUT guide bars are reversible for longer life.



PART NO	CHAIN PITCH	BAR LENGTH	CHAIN GAUGE	EQ.HUSQ BAR	EQ. STIHL BAR	SINGLE BUY	5 MIXED BUY	15 MIXED BUY
ALPINA, BUSHRANGER, DOLMAR, EFCO, FAIRMONT HYDRAULIC, HUSQVARNA, JONSERED, MAKITA, MCCULLOCH, MTD, OLEO-MAC, OPEM, PARKLANDER, PARTNER, PIONEER, POULAN/POULAN PRO, REDMAX, RYOBI, SINA, SOLO, STANLEY HYDRAULIC, TANAKA, ZENOAH								

BB (CARLTON/TSUMURA: 01W - GB/ARCHER: UH, UHL - OREGON: K095 - WINDSOR: CJL, EL)

GAFBB1638RSP	.325"	40 cm, 16"	.058"			\$96.38 ea	\$81.92 ea	\$72.29 ea
GAFBB1838RSP	.325"	45 cm, 18"	.058"	596 68 57-72		\$102.80 ea	\$87.38 ea	\$77.10 ea
GAFBB2038RSP	.325"	50 cm, 20"	.058"	582 08 69-80		\$109.23 ea	\$92.85 ea	\$81.92 ea
GAFBB1848RSP	3/8"	45 cm, 18"	.058"	596 69 15-68		\$102.80 ea	\$87.38 ea	\$77.10 ea
GAFBB2048RSP	3/8"	50 cm, 20"	.058"	596 69 15-72		\$109.23 ea	\$92.85 ea	\$81.92 ea

ALPINA, DOLMAR, HUSQVARNA, JONSERED, MAKITA, OPEM, PARTNER, POULAN/POULAN PRO, SHINDAIWA, SOLO

CB (CARLTON/TSUMURA: 17, 81 - GB/ARCHER: HV - OREGON: D009 - WINDSOR: EM, HP, HS, HU)

GAFCB1848RSP	3/8"	45 cm, 18"	.058"	596 69 11-68		\$102.80 ea	\$87.38 ea	\$77.10 ea
GAFCB2048RSP	3/8"	50 cm, 20"	.058"	596 69 11-72		\$102.41 ea	\$87.05 ea	\$76.81 ea
GAFCB2448RSP	3/8"	60 cm, 24"	.058"	501 95 69-84		\$122.08 ea	\$103.77 ea	\$91.56 ea
GAFCB2848RSP	3/8"	70 cm, 28"	.058"	596 69 11-92		\$141.36 ea	\$120.16 ea	\$106.02 ea
GAFCB2043RSP	3/8"	50 cm, 20"	.063"	596 69 12-72		\$109.23 ea	\$92.85 ea	\$81.92 ea
GAFCB2443RSP	3/8"	60 cm, 24"	.063"			\$122.08 ea	\$103.77 ea	\$91.56 ea
GAFCB2843RSP	3/8"	70 cm, 28"	.063"			\$141.36 ea	\$120.16 ea	\$106.02 ea
GAFCB3043RSP	3/8"	75 cm, 30"	.063"			\$154.20 ea	\$131.07 ea	\$115.65 ea
GAFCB3643RSP	3/8"	90 cm, 36"	.063"			\$192.75 ea	\$163.84 ea	\$144.56 ea
GAFCB4243RSP	3/8"	107 cm, 42"	.063"			\$231.31 ea	\$196.61 ea	\$173.48 ea

STIHL

CD (CARLTON/TSUMURA: 31, 42 - GB/ARCHER: SN - OREGON: D025 - WINDSOR: 40)

GAFCD1633RSP	.325"	40 cm, 16"	.063"		3003 008 6813	\$96.38 ea	\$81.92 ea	\$72.29 ea
GAFCD1643RSP	3/8"	40 cm, 16"	.063"		3003 000 9413	\$96.38 ea	\$81.92 ea	\$72.29 ea
GAFCD1843RSP	3/8"	45 cm, 18"	.063"		3003 000 9417	\$102.80 ea	\$87.38 ea	\$77.10 ea
GAFCD2043RSP	3/8"	50 cm, 20"	.063"		3003 000 9821	\$102.41 ea	\$87.05 ea	\$76.81 ea
GAFCD2543RSP	3/8"	63 cm, 25"	.063"		3003 000 9431	\$114.45 ea	\$97.28 ea	\$85.84 ea
GAFCD3043RSP	3/8"	75 cm, 30"	.063"		3003 000 6041	\$144.56 ea	\$122.88 ea	\$108.42 ea
GAFCD3643RSP	3/8"	90 cm, 36"	.063"		3003 000 6053	\$192.75 ea	\$163.84 ea	\$144.56 ea
GAFCD4243RSP	3/8"	105 cm, 42"	.063"			\$231.31 ea	\$196.61 ea	\$173.48 ea

DB (CARLTON/TSUMURA: 07, 57 - GB/ARCHER: SLD - OREGON: E099 - WINDSOR: WZ)

GAFDB3653RSP	.404"	90 cm, 36"	.063"		3002 000 9753	\$196.68 ea	\$167.18 ea	\$147.51 ea
--------------	-------	------------	-------	--	---------------	-------------	-------------	-------------

Speak to your Area Manager to order through our Winter Sale to receive maximum discounts!

REDUCE REUSE RECYCLE



PARTS

MONTHLY UPDATE

HIGHLIGHTED

PROKUT Chain Features

- Designed and engineered in Australia for Australian conditions.
- Every component is precisely manufactured from high quality German steel.
- Engineered for precision, balance and low vibration.
- Manufactured to exacting standards of strength, durability and quality.
- Chromed cutters for a sharper edge and a longer life.
- Every single rivet used in PROKUT chain is individually induction-hardened for a precise, consistent hardness providing unrivalled stretch and wear resistance.
- Each PROKUT chain is pre-stretched including bulk chain rolls. This provides a high-performance chain that is ready to use with the absolute minimum of stretch straight out of the box!



GAF20F025R

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 25' Roll Of Full-Chisel Chainsaw Chain

Length: , 25'
Chain Number: 20F
Chain / Cutter Type: 20F / Full-Chisel
Pitch: 3/8" Low Profile
Gauge: .050"
Grind: Round
Sequence: Standard
Drive Link Count: 410
Standard Pack: 1



GAF20F100R

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 100' Roll Of Full-Chisel Chainsaw Chain

Length: , 100'
Chain Number: 20F
Chain / Cutter Type: 20F / Full-Chisel
Pitch: 3/8" Low Profile
Gauge: .050"
Grind: Round
Sequence: Standard
Drive Link Count: 1,640
Standard Pack: 1



\$82.74 EACH +GST



\$322.58 EACH +GST

GAF20F045DL

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 45 Drive Link Loop Of Full Chisel Chainsaw Chain Packed In A Retail Blister Pack

Fits: Selected chainsaws up to 42 cc when fitted with a 12" (30 cm) long x 3/8" low profile x .050" gauge x 45 drive link guide bar.
Chain Number: 20F
Chain / Cutter Type: 20F / Full-Chisel
Pitch: 3/8" Low Profile
Gauge: .050"
Grind: Round
Sequence: Standard
Drive Link Count: 45
Standard Pack: 1



\$10.80 EACH +GST

GAF20F050DL

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 50 Drive Link Loop Of Full-Chisel Chainsaw Chain Packed In A Retail Blister Pack

Fits: Selected chainsaws up to 42 cc when fitted with a 14" (35 cm) long x 3/8" low profile x .050" gauge x 50 drive link guide bar.
Chain Number: 20F
Chain / Cutter Type: 20F / Full-Chisel
Pitch: 3/8" Low Profile
Gauge: .050"
Grind: Round
Sequence: Standard
Drive Link Count: 50
Standard Pack: 1



\$12.00 EACH +GST

Speak to your Area Manager to order through our Winter Sale to receive maximum discounts!



PARTS

MONTHLY UPDATE

HIGHLIGHTED

20F features

Blued components resist corrosion and provide superior strength.
Anti-kickback features for additional safety including specially designed drive links, tie straps & depth gauges.
Specially designed features to increase lubrication including oil cavities, indentations and channels.
Cutters designed to absorb and reduce vibration to limit equipment wear and operator fatigue.



P/N	PITCH	GAUGE	CUTTER SEQUENCE	KICKBACK SAFETY	CUTTER TYPE	BAR LENGTH	SAW SIZES
20F	3/8" Low Profile	.050"		Ramped Depth Gauges	Full-Chisel	Up to 18" (45 cm)	Up to 42 cc

GAF20F052DL

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 52 Drive Link Loop Of Full-Chisel Chainsaw Chain Packed In A Retail Blister Pack

Fits: Selected chainsaws up to 42 cc when fitted with a 14" (35 cm) long x 3/8" low profile x .050" gauge x 52 drive link guide bar.

Chain Number: 20F

Chain / Cutter Type: 20F / Full-Chisel

Pitch: 3/8" Low Profile

Gauge: .050"

Grind: Round

Sequence: Standard

Drive Link Count: 52

Standard Pack: 1



GAF20F055DL

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 55 Drive Link Loop Of Full-Chisel Chainsaw Chain Packed In A Retail Blister Pack

Fits: Selected chainsaws up to 42 cc when fitted with a 16" (40 cm) long x 3/8" low profile x .050" gauge x 55 drive link guide bar.

Chain Number: 20F

Chain / Cutter Type: 20F / Full-Chisel

Pitch: 3/8" Low Profile

Gauge: .050"

Grind: Round

Sequence: Standard

Drive Link Count: 55

Standard Pack: 1



\$12.48 EACH +GST



\$13.20 EACH +GST

GAF20F056DL

Prokut 3/8" LP (Low Profile) Pitch x .050" Gauge x 56 Drive Link Loop Of Full-Chisel Chainsaw Chain Packed In A Retail Blister Pack

Fits: Selected chainsaws up to 42 cc when fitted with a 16" (40 cm) long x 3/8" low profile x .050" gauge x 56 drive link guide bar

Chain Number: 20F

Chain / Cutter Type: 20F / Full-Chisel

Pitch: 3/8" Low Profile

Gauge: .050"

Grind: Round

Sequence: Standard

Drive Link Count: 56

Standard Pack: 1



\$13.44 EACH +GST



Speak to your Area Manager to order through our Winter Sale to receive maximum discounts!

**JUNE
2026**

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE



PARTS

MONTHLY UPDATE



HARD WOOD AUGER

- Special surface coating for smooth chip ejection and less resistance.
- Self-feed screw point for fast drilling.
- Designed with rigidity against bending & wobbling, producing an accurate clean hole.
- Auger design makes it easy to resharpen.
- Shank has a hex mounting shape for ease of attachment and no slipping.
- Packed in a square hang pack for retail display.


















While stocks last!



HIGHLIGHTED



MADE IN JAPAN
FOR AUSTRALIAN HARDWOOD.

PART NO	DIAMETER	HEX SHANK DIAMETER	NORMAL PRICE	CLEARANCE
12" (305MM) LONG				
 TOL8649	1/2", 13 mm	5/16", 7.9375 mm	\$27.68 ea	\$18.25 ea
 TOL8650	9/16", 14 mm	7/16", 11 mm	\$28.04 ea	\$18.48 ea
 TOL8651	5/8", 16 mm	7/16", 11 mm	\$30.12 ea	\$19.86 ea
 TOL8652	3/4", 19 mm	7/16", 11 mm	\$36.20 ea	\$23.87 ea
 TOL8653	1-1/8", 29 mm	7/16", 11 mm	\$50.74 ea	\$33.45 ea
 TOL8654	1-1/4", 32 mm	7/16", 11 mm	\$60.70 ea	\$40.02 ea
18" (457 MM) LONG				
 TOL8655	3/8", 10 mm	5/16", 7.9375 mm	\$28.92 ea	\$19.07 ea
 TOL8656	7/16", 11 mm	5/16", 7.9375 mm	\$29.77 ea	\$19.63 ea
 TOL8657	1/2", 13 mm	5/16", 7.9375 mm	\$32.56 ea	\$21.47 ea
 TOL8658	9/16", 14 mm	7/16", 11 mm	\$32.95 ea	\$21.72 ea
 TOL8659	5/8", 16 mm	7/16", 11 mm	\$35.43 ea	\$23.36 ea
 TOL8660	11/16", 18 mm	7/16", 11 mm	\$38.71 ea	\$25.52 ea
 TOL8661	3/4", 19 mm	7/16", 11 mm	\$42.57 ea	\$28.07 ea
 TOL8662	7/8", 22 mm	7/16", 11 mm	\$46.35 ea	\$30.56 ea
 TOL8663	1", 25 mm	7/16", 11 mm	\$56.22 ea	\$37.06 ea
 TOL8664	1-1/8", 29 mm	7/16", 11 mm	\$59.68 ea	\$39.35 ea
 TOL8665	1-1/4", 32 mm	7/16", 11 mm	\$71.41 ea	\$47.09 ea

GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.
Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.
Prices do not include 10% GST unless stated. Prices valid until 30th June 2026.

Proudly supporting



Royal Flying Doctor Service
QUEENSLAND SECTION



PLEASE RECYCLE



PROUDLY AUSTRALIAN
OWNED & OPERATED

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480

FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582