SEPT
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

Giving Dealers Back Their Independence
GA POWER EQUIPMENT SPARES®

PROUDLY AUSTRALIAN OWNED & OPERATED

PARTS MONTHLY UPDATE

NEW! PRODUCT



BLF8827

Non-Genuine Victa, 16" Cut Bar Blade

Fits: 16" (406 mm) cut Victa Lawnkeeper LCS404-BB, Sprinter SCS404-BA, SDS404-BB, SDS406-D and SDS407-D, Ultralite UCS404-B and UCS406-B, Victa UDS406-F and Vantage VCS404-BA, VCS404-BB and VCS404-BC walk behind lawn mower models.
Length: 15.75", 400 mm
Width: 1.5", 38 mm
Thickness: 0.12", 3 mm
Centre Hole Diameter: 0.41", 10.5 mm
Centre Hole Type: Round
Outside Hole Diameter: 0.39", 10 mm
Cntr to Cntr Outside Mounting Holes: 1.89", 48 mm
Standard Pack: 1
Replaces OEM: Victa: CA09508S (Blade & Bolt), CA09508A (Blade), EE14484B (Bolt), EN73054B (Washer)

9 316596 240500

$14.12 *EACH +GST*

NEW! PRODUCT



HYD72751

Hydro-Gear Genuine Transaxle Oil 946 ml

With oil formulated from high-quality base stocks combined with modern performance additives, you can expect your Hydro-Gear drive systems to continue to perform under a wide variety of demanding operating conditions.

- Excellent drive system cleanliness
- Drive system protection under a wide variety of operating conditions
- Helps reduce drive system wear and corrosion

Standard Pack: 1
Box qty: 12

0 47283 99834 1

$23.55 *EACH +GST*

NEW! PRODUCT



BRC8833

Non-Genuine Canycom, Razorback, Swing Back Blade And Pin Set

- Made in Japan
- Heavy duty 6 mm thick
- Includes matching pin and washer set

Fits: 38" (975 mm) Canycom CM184, CM185, CM225, CM226, CMX186, CMX224, CMX227, CMX1808, CMX1810, CMX2106, CMX2302, CMX2402, CMX2406, CMX2408, CMX2414 and CMX2502 all-terrain ride-on brush cutter models.
Fits: 38" (975 mm) Razorback CMX1404H, CMX1808, CMX1810, CMX2106, CMX2302, CMX2304, CMX2402, CMX2406 and CMX2408 all-terrain ride-on brush cutter models.
Length: 4.72", 120 mm
Width: 4.08", 103.60 mm
Thickness: 0.24", 6 mm
Mounting Hole Diameter: 1.04", 26.50 mm
Standard Pack: 1 Pair
Replaces OEM: Canycom, Razorback: Z332 4202 010 (blade & pin), 5332 4203 000 (pin), 5331 4207 000 (spring)
Please Note: *For a replacement pin and spring washer use our part number BLH8834.*

9 316596 244096

$134.73 *EACH +GST*

NEW! PRODUCT



BLH8834

Non-Genuine Canycom, Razorback, Pin & Spring Washer Set

- Made in Japan

Fits: 38" (975 mm) Canycom CM184, CM185, CM225, CM226, CMX186, CMX224, CMX227, CMX1808, CMX1810, CMX2106, CMX2302, CMX2402, CMX2406, CMX2408, CMX2414 and CMX2502 all-terrain ride-on brush cutter models.
Fits: 38" (975 mm) Razorback CMX1404H, CMX1808, CMX1810, CMX2106, CMX2302, CMX2304, CMX2402, CMX2406 and CMX2408 all-terrain ride-on brush cutter models.
Standard Pack: 1 Set
Replaces OEM: 5332 4203 000 (pin), 5331 4207 000 (spring)
Please Note: *For a replacement blade set use our part number BRC8833.*

9 316596 244102

$24.35 *EACH +GST*

REDUCE ♻ REUSE ♻ RECYCLE

NEW! PRODUCT

GAF620-230E

Prokut SUPERJolly EVO Chainsaw Chain Grinder Genuine

This professional quality bench mounted chain grinder will speed up production in a busy workshop. This unit has all the features of our most popular bench grinder plus a built-in hydraulic assist that closes the chain vice automatically each time the motor and wheel are lowered. Eliminates manual locking and unlocking of the chain vice as each cutter is sharpened and can cut down sharpening time by as much as 50%.

- The chain is automatically clamped by the grinder head centring operation
- Self-centre adjustment knob: the chain is always aligned in perfect centre with the vice turning axis
- Most reliable sharpening of all sizes of saw chains: from 1/4" to 3/4" pitch
- Built in LED light for better visibility
- Full stainless steel piston
- Heavy duty return spring
- Closed hydraulic system

Specifications: CE Approved
Voltage: 230 V ~ 50 Hz
Rated power: 220 watt
Max speed: 2700 rpm
Accessories Include:
1 x 3.2 mm Grinding wheel (equivalent of GAF32659) for 1/4", 3/8" LP, .325" pitch chains.
1 x 4.7 mm Grinding wheel (equivalent of GAF32660) for 3/8" and .404" pitch chains.
1 x 8.0 mm Grinding wheel (equivalent of GAF32662) for 3/4" pitch chains.
1 x Chain hold kit - max. 3/4" chain stop.
1 x 3/4" gauge template.
1 x Dressing brick (equivalent of GAF90110).
1 x Quick-check template (equivalent of GAF1112001).
1 x 4 mm Allen Key.
1 x 5 mm Allen key.
Standard Pack: 1



Depth gauge lowering grinding wheel is not included with this grinder and is sold separately. For a depth gauge lowering grinding wheel use our part number GAF32661.
This grinder replaces our grinder part numbers GAF520-230A and GAF620-230A.

9 316596 239559

$518.00 EACH +GST

HIGHLIGHTED

Prokut Forged Axe

The axe head is forged from high quality carbon steel with the cutting edge hardened and tempered to 48-52 Rockwell. The head is bonded into place with industrial strength resin glue for the tightest possible fit, the head also has a protective varnish coating for minimal friction and maximum corrosion/rust resistance. The handle is manufactured from high quality fibreglass (>60%) / polypropylene composite for ultimate strength, and features Thermoplastic Rubber (TPR) handle grips for comfort, abrasion resistance and strength. A second specially designed TPR insert protects the handle from incidental impact near the axe head. The fibreglass handle and rubber grip is designed to be extremely strong whilst absorbing impact shocks. The axe includes a handy and clever retail display hanger which covers and protects the cutting edge.



GAF8404

The smallest axe in the PROKUT range, sometimes referred to as a hatchet or Tomahawk is packed with features for safety and comfort during use.
Length: 18.11", 460 mm
Nett Weight: 0.9 kg (1.98 lbs)
Standard Pack: 1
Box qty: 12

9 316596 118168

$16.76 EACH +GST



GAF8406

The mid-sized axe in the PROKUT range is packed with features for safety and comfort during use.
Length: 27.95", 710 mm
Nett Weight: 1.15 kg (2.53 lbs)
Standard Pack: 1
Box qty: 6

9 316596 118175

$24.91 EACH +GST



GAF8408

The full-sized axe in the PROKUT range is packed with features for safety and comfort during use.
Length: 36.02", 915 mm
Nett Weight: 1.8 kg (3.96 lbs)
Standard Pack: 1
Box qty: 6

9 316596 118182

$30.26 EACH +GST



GAF8313
Genuine Prokut, Lithium-Ion Battery Operated Chainsaw Chain Sharpener

The PROKUT handheld, battery operated chainsaw chain sharpener is designed to sharpen all of the most popular sizes of chains that are fitted to modern chainsaws, including 1/4", 3/8" LP, .325", 3/8" and .404" pitch chains. With a run time of up to 4 hours, sharpening stones and guide templates all included, you will soon be able to quickly and efficiently sharpen your chainsaw out in the field.

Features:
- Quickly and accurately sharpen most chainsaw chains
- Guide plate included with 3 angle options
- Up to 4 hours run time

Specifications:
- 10.8 v
- 21.6 Wh (2.0 Ah)
- Variable Speed (0 - 13, 000 RPM)
- Direct Drive

Standard Pack: 1

Please Note: *For replacement sharpening stones use our part numbers - • GAF8320 = 3 qty x 5/32" (4.0 mm) stones - suitable for use with 1/4" pitch or 3/8" low profile chains. • GAF8323 = 3 qty x 3/16" (4.8 mm) stones - suitable for use with .325" pitch chain. • GAF8325 = 3 qty x 7/32" (5.5 mm) stones - suitable for use with 3/8" or .404 pitch chains. For a spare or replacement battery use our part number GAF8524. This product replaces our part number TOL6964.*

9 316596 116447

$56.22 EACH +GST



GAF8314
Genuine Prokut, 12 Volt Chainsaw Chain Sharpener

The PROKUT 12 volt chainsaw chain sharpener is designed to sharpen all of the most popular sizes of chains that are fitted to modern chainsaws, including 1/4", 3/8" LP, .325", 3/8" and .404" pitch chains. With a direct drive motor featuring a run speed of 25,000 rpm, sharpening stones to suit all of the popular chains on the market today and guide templates all included, you will be able to connect it to your car's battery and quickly and efficiently sharpen your chainsaw out in the field.

Features:
- Quickly and accurately sharpen most chainsaw chains
- Sharpening stones to suit all popular chainsaw chains
- 1 x Gauge for accurate chainsaw chain sharpening Specifications:
- 12V DC 55W
- Speed 25, 000 RPM
- Direct Drive

Standard Pack: 1

Please Note: *For replacement sharpening stones use our part numbers - • GAF8320 = 3 qty x 5/32" (4.0 mm) stones - suitable for use with 1/4" pitch or 3/8" low profile chains. • GAF8323 = 3 qty x 3/16" (4.8 mm) stones - suitable for use with .325" pitch chain. • GAF8325 = 3 qty x 7/32" (5.5 mm) stones - suitable for use with 3/8" or .404" pitch chains. Note: This product replaces our part number OMK28588.*

9 316596 116454

$53.42 EACH +GST

CAM2350
Non-Genuine Victa, Carburettor Main Jet

Fits: Victa LM, G4 and Power Torque plastic carburettor models from 1974 onwards.

Standard Pack: 5

Victa: CR03522A

Please Note: *Use with our primer cap part number CAM6478 or VIC2603, primer cap O-ring part number CAM529, inlet needles part numbers CAM6404 (short type) or CAM531 (long type).*



9 316596 022113

$3.51 EACH +GST

CAM529
Non-Genuine Victa, Carburettor Primer Cap O-ring

Fits: Victa G4 and LM plastic carburettors as fitted to selected two stroke domestic walk-behind lawn mower and edger models from 1974 onwards.

Inside Diameter: 2.007", 51 mm

Standard Pack: 10

Victa: HA25126A



9 316596 022670

$1.01 EACH +GST

VICTA® HIGHLIGHTED

VIC2603
Genuine Victa Primer Cap



Fits: Victa G4 Power Torque carburettor models from 1974 onwards
Standard Pack: 5
Replaces OEM: Victa: CR03501A

9 316596 087662

$14.13 *EACH +GST*

VIC2731
Genuine Victa, Power Torque Starter And Upper Crankcase Assembly



Fits: Victa Power Torque engine models.
Standard Pack: 1
Replaces OEM: Victa: ST12651, ST12670A, ST12811A, ST12811AZ

9 316596 088058

$55.59 *EACH +GST*

VIC2386
Genuine Victa, Plastic Carburettor Body



Fits: Victa LM, G4 and Power Torque plastic carburettor models from 1974 onwards.
Standard Pack: 1
Replaces OEM: Victa: CR03617A, CR03661P

9 316596 087655

$44.05 *EACH +GST*



VIC5974
Genuine Victa, Selected 18", 19", 20" And 22" Cut Mulch Or Catch And Utility Blade Holder Disc

Fits: 18" (460 mm) cut Victa selected domestic lawn mower models including but not limited to Pro Mulch or Catch (models PMA201 and PMA401 up to Sept 1999) rear catcher and Utility side discharge (model UTS, up to Sept. 1999) and Pro 460 (model PUS, up to Sept. 1999) models. **Fits:** 19" (480 mm) cut Victa selected rear catcher domestic lawn mower models including but not limited to Corvette 400 Mulch or Catch (model C4M482A and C4M484A years 2004 Onwards) models. **Fits:** 20" (510 mm) cut Victa selected rear catcher domestic lawn mower models including but not limited to Pro 505 (model PEP402 years 1999 to 2002) and Pro 505 self-propelled (models PEP402 and PED201, years 1999 to 2002) models. 22" (550 mm) cut Victa selected side discharge push and self-propelled domestic lawn mower models including but not limited to Pro 550 (models PDP201, PDP402, PDD201 and PDD402, years 1999 to 2002) models.
Centre Hole Diameter: 3/4", 19.05 mm
Centre Hole Type: Round
Diameter: 10 1/8", 257.17 mm
Standard Pack: 1
Replaces OEM: Victa: CA09426G, CA09444G
Product Line Notes: *For 18" cut rear catcher models use with our BNC5883 (1 pair) blade and bolt combo set or BNC6328 (2 pair) blade and bolt combo set. For 19" cut rear catcher models use with our BNC6490 (1 pair) x 2 qty blade and bolt combo sets.*

9 316596 087723

$21.35 *EACH +GST*

GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.
Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.
Prices do not include 10% GST unless stated. Prices valid until 30th Sept 2026.

Proudly supporting
Royal Flying Doctor Service
QUEENSLAND SECTION

PLEASE RECYCLE

PROUDLY AUSTRALIAN OWNED & OPERATED

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480
FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582

NP_1216840141180432