NOV
2026

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

Giving Dealers Back Their Independence
GA POWER EQUIPMENT SPARES®

PROUDLY AUSTRALIAN OWNED & OPERATED

PARTS MONTHLY UPDATE HIGHLIGHTED

BLD4025W

Non-Genuine Masport - Morrison, Viking, Yard Force, Domestic Blades, BLD4025 Supplied In A Bulk Box Of 50 Pair Of Loose Blades, For Workshop Use





X50

- Stepped blades with domed bolt hole and formed flute

Fits: 18" (457 mm) cut Masport and Morrison rear catcher Cushion Cut and Quickcut lawn mower models using a blade carrier bar including 200-4, 250-2, 250-4, 300-2, 300-4, 400-2, 400 Key -Start, 400-4, 600-2, 600-4 and 600-I series, 800-2, 800-4, 950I-4, Contractor 460-4, 530-2, 530-4 series. Morrison 2 in 1-4, 460 Typhoon and 460-4 Typhoon, Morrison Series 300, 300-4, series 400 and 400 Elite, 400-4, Utility 460-4, 460, 475, 500 and 550 series, Missile 450ST and Torpedo 475ST and models fitted with the Quadcut blade disc system including President 3000 AL S18 Combo Mow 'n Stow (model 578707 year 2017), Utility 460 ST S18 (models 572847 year 2015 and 572850 year 2019) and 550 AL S18 2'n1 Mow 'n Stow (model 578719 year 2017) lawn mower models.
Fits: 18" (457 mm) cut Viking rear catcher domestic lawn mower models using a blade carrier bar including Turbo Cut "N" Catch MB434 and MB435 Series lawn mower models.
Fits: 18" (46 cm, 457 mm) cut YARDFORCE GM R46-AU domestic walk-behind rear discharge lawn mower models when fitted with the YARDFORCE SE170, 170 cc, 4-stroke OHV engine.
Length: 3 3/4", 95.25 mm
Width: 1 3/4", 44.45 mm
Mounting Hole Diameter: 1/2", 12.7 mm
GA Bolt Set: BBN5095 (1 Pair) or BBN5095W (*50 Pairs of bolt set components).*
Standard Pack: 50 Pairs
Replaces OEM: Masport: 529648, 980658
Viking: 6352 702 0100
Normally **$2.55**

9 316596 012589

SPECIAL PRICE!
$1.91 *EACH +GST*

BLD6420W

Non-Genuine Bushranger, Masport - Morrison, Domestic Blades, BLD6420 Supplied In A Bulk Box Of 50 Pair Of Loose Blades, For Workshop Use





X50

- Stepped blades with domed bolt hole and formed flute
- Bulk box of 50 pair of loose blades, for workshop use

Fits: 19" (483 mm) cut Bushranger "blue chassis series" rear catcher lawn mower models up to 2008.
Fits: 19" (485 mm) cut Masport MSV "Beast" rear catcher lawn mower models.
Length: 4 1/4", 107.95 mm
Width: 1 3/4", 44.45 mm
Mounting Hole Diameter: 1/2", 12.7 mm
GA Bolt Set: BBN5095 (1 Pair) or BBN5095W (50 Pairs of bolt set components).
Standard Pack: 50 Pairs
Replaces OEM: Masport / Morrison: 583572, 983310
Normally **$4.24**

9 316596 075423

SPECIAL PRICE!
$3.18 *EACH +GST*

BLD5695W

Non-Genuine Jetfast - SupaSwift, McCulloch, Rover, Scott Bonnar, Talon, Domestic Blades, BLD5695 Supplied In A Bulk Box Of 50 Pair Of Loose Blades, For Workshop Use





X50

- Flat blades with offset bolt hole and formed flute
- Extended cutting edge for mulching
- Suits rear catcher and mulch 'n catch models

Fits: 18" (457 mm) cut SupaSwift Blue 777XMC model (fitted with Honda GCV160 engine) and 777KMC model (fitted with a Kohler XT-6 engine) steel chassis rear catcher domestic walk-behind lawn mower models.
Fits: 18" (457 mm) and 20" (508 mm) Rover rear-catcher and Mulch 'N Catch domestic mowers, including walk-behind and self-propelled models across the Baron, Challenger, Combat, Craftsman, Crusader, Duracut, Easy Go, Easy Mow, Easy Push, Easy Start, Easy Trim, Fairway, Pedigree, Power Master, Pro Cut, Professional Supercut, Quick Start, Regal, Rover, Supercut, Supremo, Thoroughbred, Wayfarer and XDS46 ranges.
Fits: Scott Bonnar Greenkeeper SX4000 (models 19045 only, refer to notes) Mulch 'N Catch domestic walk-behind lawn mower models.
Note: Scott Bonnar Greenkeeper SX4000 model 18045 used rear catcher blades for these models use our blade set part number BLD3645 or our blade and bolt combo pack part number BNC3620.
Length: 3 3/4", 95.25 mm
Width: 2", 50.8 mm
Mounting Hole Diameter: 1/2", 12.7 mm
GA Bolt Set: BBN442
Standard Pack: 50 Pairs
Replaces OEM: Jetfast - SupaSwift: 3010500
Rover / Scott Bonnar: 742-04404, A03830, A03930
Normally **$3.42**

9 316596 051793

SPECIAL PRICE!
$2.57 *EACH +GST*

BLD295W

Non-Genuine Cox, Rover, Viking, Domestic Blades, BLD295 Supplied In A Bulk Box Of 50 Pair Of Loose Blades, For Workshop Use





X50

- Flat blades with formed flute
- Bulk box of 50 pair of loose blades, for workshop use

Fits: 18" (457 mm) cut Cox Crusader rear catcher domestic lawn mower models.
Fits: 18" (457 mm) and 20" (508 mm) cut Rover selected rear catcher lawn mower models including Baron, Cams, Challenger, Combat, Craftsman and Deluxe, Easy Start and Easy Start Extra, Fairway, Pedigree, PowerStart, Quickstart, Supercut and Supercut 220, Thoroughbred, 200 series etc.
Fits: 18" (457mm) cut Viking early model MB440 and MB450 up until 1996 rear catcher domestic lawn mower models.
Length: 3 3/4", 95.25 mm
Width: 1 1/2", 38.1 mm
Mounting Hole Diameter: 1/2", 12.7 mm
GA Bolt Set: BBN442
Standard Pack: 50 Pairs
Replaces OEM: Rover: A01118K
Viking: 6105 183 6070
Normally **$2.05**

9 316596 012343

SPECIAL PRICE!
$1.54 *EACH +GST*

REDUCE ♻ REUSE ♻ RECYCLE

ALL PRODUCTS MEET OR EXCEED OE MANUFACTURER'S SPECIFICATIONS.
FOR MORE COMPREHENSIVE FITMENT APPLICATIONS AND SPECIFICATION DATA VISIT OUR WEBSITE

Giving Dealers Back Their Independence
GA POWER EQUIPMENT SPARES®

PARTS MONTHLY UPDATE HIGHLIGHTED

White Horse

MADE IN KOREA

PRN8718

Genuine White Horse, 430 mm (16.92") Pole Saw Blade & Sheath

When used with our part numbers PRN8720 (5.8 metre aluminium telescopic pole) or PRN8722 (6.6 metre aluminium telescopic pole) this 430 mm (16.92") curved pole saw blade and sheath allows you to stay safely on the ground while reaching all those difficult to reach high branches.

- Hard-chrome plated, Impulse hardened & Curvature ground.
- Power cut teeth profile.
- Includes cover sheath.



Nett Weight: 445 grams (15.69 oz) - blade only.
Blade length: 430 mm (16.92").
Overall length: 650 mm (25.59").
Tooth pitch: 4.5 mm (0.177").
Standard Pack: 1
Please Note: *Use with our part numbers PRN8720 (5.8 metre aluminium telescopic pole) or PRN8722 (6.6 metre aluminium telescopic pole). Replaces our part number PRNZ555+S.*

9 316596 159666

$46.08 EACH +GST

PRN8720

Genuine White Horse, 5.8 Metre Aluminium Telescopic Pole - (Pole Only)

Stay safely on the ground with our PRN8720 aluminium telescopic pole. When used with our curved blade and sheath part number PRN8718 this aluminium pole reaches up to 5.8 metres (19.028') high to reach the areas that a ladder or a cherry picker is usually required to be used for.

Nett Weight: 2.3 kg (5.07 lb).
Length: Extends between 2.32 metres (7.611') to 5.8 metres (19.028') long.
Standard Pack: 1
Please Note: *Pole Only - use with our White Horse 430 mm (16.92") pole saw curved blade and sheath part number PRN8718. Replaces our part number PRNZ555P2.*

8 805148 003102

$188.55 EACH +GST

PRN8722

Genuine White Horse, 6.6 Metre Aluminium Telescopic Pole - (Pole Only)

Stay safely on the ground with our PRN8722 aluminium telescopic pole. When used with our curved blade and sheath part number PRN8718 this aluminium pole reaches up to 6.6 metres (21.653') high to reach the areas that a ladder or a cherry picker is usually required to be used for.

Nett Weight: 2.5 kg (5.51 lb).
Length: Extends between 2.65 metres (8.694') to 6.6 metres (21.653') long.
Standard Pack: 1
Please Note: *Pole Only - Use with our White Horse 430 mm (16.92") pole saw curved blade and sheath part number PRN8718.*

8 805148 008374

$230.04 EACH +GST

PRN8714



Genuine White Horse, 180 mm (7.086") Foldable Pruning Saw - Curved Blade

Designed for use on small to medium trees and shrubs, this 180 mm (7.086") foldable, curved blade pruning saw has coarse teeth.

- Hard-chrome plated, Impulse hardened & Curvature ground.

Nett Weight: 225 grams (7.93 oz)
Blade length: 180 mm (7.086").
Overall length: 390 mm (15.354").
Tooth pitch: 4 mm (0.157").
Standard Pack: 1

8 805148 005113

$24.82 EACH +GST

PRN8716



Genuine White Horse, 270 mm (10.62") Foldable Pruning Saw - Curved Blade

Designed for use on small to medium trees and shrubs, this 270 mm (10.62") foldable, curved blade pruning saw has coarse teeth.

- Hard-chrome plated, Impulse hardened & Curvature ground.

Nett Weight: 330 grams (11.64 oz).
Blade length: 270 mm (10.62").
Overall length: 580 mm (22.83").
Tooth pitch: 4 mm (0.157").
Standard Pack: 1
Please Note: *Replaces our part number PRNZ270.*

8 805148 000279

$33.17 EACH +GST

PRN8724



Genuine White Horse, 300 mm (11.81") Foldable Pruning Saw - Curved Blade

Designed for use on small to medium trees and shrubs, this 300 mm (11.811") foldable, curved blade pruning saw has coarse teeth.

- Hard-chrome plated, Impulse hardened & Curvature ground.

Nett Weight: 400 grams (14.10 oz).
Blade length: 300 mm (11.81").
Overall length: 630 mm (24.80").
Tooth pitch: 4 mm (0.157").
Standard Pack: 1

8 805148 008442

$43.40 EACH +GST

PRN8712



Genuine White Horse, 350 mm (13.8") Fixed Pruning Saw - Curved Blade

Designed for use on small to medium trees and shrubs, this 350 mm (13.8") fixed, curved blade pruning saw has coarse teeth.

- Hard-chrome plated, Impulse hardened & Curvature ground.

Nett Weight: 275 grams (9.70 oz).
Blade length: 350 mm (13.8").
Overall length: 520 mm (20.47").
Tooth pitch: 4 mm (0.157").
Standard Pack: 1
Please Note: *Replaces our part number PRNZ14.*

8 805148 005663

$30.54 EACH +GST



BEA160

Non-Genuine Rover, Scott Bonnar, Thrust Race Clutch Bearing

Fits: Rover Model 45 and 3.5 hp 17" cylinder reel mower (models 45058, 45081 and 45158) as the clutch thrust bearing.
Fits: Scott Bonnar Model 45 and 3.5 hp 17" cylinder reel mower (models 45058, 45081 and 45158) as the clutch thrust bearing.
Width: 1/2", 12.7 mm
Inside Diameter: 0.751", 19.1 mm
Outside Diameter: 1.688", 42.9 mm
Bearings: R12-2NSL
Standard Pack: 1
Replaces OEM: Rover / Scott Bonnar: 3534016, A3534016
Normally **$23.27**

9 316596 003938

SPECIAL PRICE!
$18.62 EACH +GST



CHD1529

Non-Genuine Rover, Scott Bonnar, Primary Clutch Thrust Pad

Fits: Rover and Scott Bonnar (branded) Model 45, Select Model 45 and 3.5hp 17" cylinder reel mowers (model 45058 with 6 blade cutter and models 45081 and 45158 both with 10 blade cutter) as the primary clutch thrust pad.
Standard Pack: 1
Replaces OEM: Rover / Scott Bonnar: A333112
Normally **$3.73**

9 316596 025206

SPECIAL PRICE!
$2.98 EACH +GST



CHD2738

Non-Genuine Rover, Scott Bonnar, Chain Adjustment Pad

Fits: Rover and Scott Bonnar (branded) Model 45, Select Model 45 and 3.5hp 17" cylinder reel mowers (model 45058 with 6 blade cutter and models 45081 and 45158 both with 10 blade cutter) as the chain adjustment pad.
Standard Pack: 1
Replaces OEM: Rover / Scott Bonnar: 455769, A455769
Please Note: *Use with our cutter sprocket part number SB345-0037, roller chain part number CHM1863 and motor sprocket part number SB345-0030.*
Normally **$4.44**

9 316596 025664

SPECIAL PRICE!
$3.55 EACH +GST



SB345-0002

Non-Genuine Rover, Scott Bonnar, Clutch Body Key

Fits: Rover and Scott Bonnar Model 45 reel mowers.
Standard Pack: 5
Replaces OEM: Rover / Scott Bonnar: A453843, 345-0002
Normally **$2.87**

9 316596 091102

SPECIAL PRICE!
$2.30 EACH +GST

Giving Dealers Back Their Independence
GA POWER EQUIPMENT SPARES®

PARTS MONTHLY UPDATE HIGHLIGHTED

FUE8815
Genuine Scepter, SmartControl Spout



The SmartControl spout features a squeeze-controlled flow rate, making it easy to fill everything from lawnmowers to recreational vehicles with greater control and confidence. Designed to minimise spills and reduce mess, it provides a safer, cleaner, and more efficient way to handle fuel — without wasting a drop.

- Squeeze-controlled flow rate
- Suits most Scepter fuel containers
- Easy to pour
- Fast fill with integrated vent tube

Standard Pack: 1
Box qty: 6

8 87853 00396 5

$19.76 *EACH +GST*

TOL7442
Universal, Oil Change Service Kit



Oil change service kit, makes oil changes a breeze! Ideal for all garden products that feature a four stroke petrol engine. This kit contains a pump and tube which is used to extract the used oil from the engine. Then simply pump the used oil into the supplied container, where it can then be safely disposed of. Finally use the supplied funnel to refill fresh oil to the engine. Makes a messy job easy.

Kit consists of:

- Oil Extraction Pump & tube
- Oil container
- Funnel

Standard Pack: 1
Box qty: 24
Normally **$15.24**

SPECIAL PRICE!

9 316596 087976

$12.19 *EACH +GST*

LUB8134
Universal, 1 Litre, 2-Stroke Fuel Mixing Bottle 50:1 With Measuring Cup in Lid



Mixes 1 litre of fuel to 50 : 1 ratio only. Simply fill the mixing bottle with fuel up to the 1000 cc line marked on the bottle, then fill the measuring cup that comes stored in the lid up to the 20 cc line with a good quality 2-stroke oil, pour the contents into the mixing bottle, screw the lid into place and shake the bottle well to mix. Ideal for use with brushcutters trimmers, chainsaws and lawn mowers where the manufacturer stipulates that a 50 : 1 ratio is required to be used.

Standard Pack: 1
Box qty: 100
Normally **$6.20**

SPECIAL PRICE!

9 316596 104109

$4.96 *EACH +GST*

FUE7555
Universal, 6 1/2" Plastic Funnel with Removable Mesh Filter



- General purpose funnel
- Ideal for use at home or in a workshop
- Made from strong polypropylene

Standard Pack: 1
Normally **$10.41**

SPECIAL PRICE!

9 316596 090761

$8.33 *EACH +GST*

GASPARES.COM.AU

All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E. Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.
Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.
Prices do not include 10% GST unless stated. Prices valid until 30th November 2026.

Proudly supporting
Royal Flying Doctor Service
QUEENSLAND SECTION

PLEASE RECYCLE

PROUDLY AUSTRALIAN OWNED & OPERATED

PHONE QLD 1300 363 004 | NSW 1300 363 005 | VIC 1300 760 480 | WA 1300 307 574 | SA 1300 781 352 | TAS 1300 760 480
FAX QLD 1800 636 973 | NSW 1800 640 366 | VIC 1800 220 582 | WA 1800 023 888 | SA 1800 453 352 | TAS 1800 220 582

NP_12198772685468316